JOURNAL OF PERIODONTOLOGY

Author Index to Volume 69, 1998, numbers 1 through 12

A

Abiko Y. see Shimizu N.
Abrams RG. see Bimstein E.
Adams DF. see Malekzadeh R.
Adin S. see Cebeci I.
Adriaens P. see Tonetti MS.
Aichelmann-Reidy ME. see Yukna RA.
Albert A. see Zahedi S.
Alford CE. see Oxford GE.
Amar S. see Graves DT.
American Academy of Periodontology. Annual Report. 1445
American Dental Association. Council on Scientific Affairs. Acceptance program guidelines. 1070
American Dental Association. Council on Scientific Affairs. Chemotherapeutic agents to slow or arrest periodontitis. 1076
American Dental Association. Council on Scientific Affairs. Products and methods for the diagnosis and/or management of periodontitis. 1071
American Dental Association. Council on Scientific Affairs. Products designed to regenerate periodontal tissues. 1081
Anderegg CR. The treatment of Class III maxillary furcations using a resin-ionomer. A case report. 948
Andreana S. A combined approach for treatment of developmental groove associated periodontal defect. A case report. 601
Andronikaki A. see Nakou M.
Andronikaki-Faldami A. see Parashis A.
Artzii Z, et al. The application of deproteinized bovine bone mineral for ridge preservation prior to implantation. Clinical and histological observations in a case report. 1062
Assuma R. see Graves DT.
Atici K, et al. Analysis of gingival crevicular fluid intracytoplasmic enzyme activity in patients with adult periodontitis and rapidly progressive periodontitis. A longitudinal study model with periodontal treatment. 1155
Atilla G, et al. Crevicular fluid interleukin-1 , tumor necrosis factor-α, and interleukin-6 levels in renal transplant patients receiving cyclosporine A. 784
Atkins KB. see Takata T.
Augthun M, et al. In vitro studies on the effect of cleaning methods on different implant surfaces. 857
Avera JB, et al. Guided tissue regeneration in Class II furcation involved maxillary molars: a controlled study of 8 split-mouth cases. 1020
Ayukawa Y, et al. An immunocytochemical study for lysosomal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. 62
Ayukawa Y. see Takeshita F.

B

Bader G, et al Reduction of cyclosporine-induced gingival overgrowth following a change to tacrolimus. A case history involving a liver transplant patient. 729; clarification: 1181
Badur S. see Cebeci I.
Baehni PC. see Fujii T.
Baker GI. see Center JM.
Baker RA. see Needleman IG.
Bakker I. see Umeda M.
Bal B. see Özmeric N.
Baldi C. see Tonetti MS.
Balos K. see Özmeric N.
Baratta B. see Breschi L.
Barboza EP. see Dos Anjos B.
Barnes JB, et al. Blood contamination of the aerosols produced by in vivo use of ultrasonic scalers. 434
Barone A. see Sbordone L.
Barr-Agholme M, et al. Periodontal conditions and salivary immunoglobulins in individuals with Down syndrome. 1119
Bartold PM. see Garraway R.
Beck FM. see Teparat T.
Becker BE, et al. A prospective clinical trial of endosseous screw-shaped implants placed at the time of tooth extraction without augmentation. 920
Becker BE. see Becker W.
Becker MP. see Taylor GW.
Becker W, et al. Histologic findings after implantation and evaluation of different grafting materials and titanium micro screws into extraction sockets: case reports. 414
Becker W. see Becker BE.
Beldi MI. see Tinoco EMB.
Bellini HT. see Tinoco EMB.
Benn Dk. see Eickholz P.
Benqué EP. see Elharar F.
Bergenholtz G. see Miyashita H.
Berker E. see Özmeric N.
Bernard J-P. see Zahedi S.
Bernimoulin J-P. see Rudhart A.
Berry JE. see Takata T.
Bierig JR. Legal considerations for periodontists in dealing with managed care organizations. 254
Bifano SL. see Brown GD.
Bimstein E, et al. Root surface characteristics of primary

teeth from children with prepubertal periodontitis. 337
Bird PS. see Gemmell E.
Bissada NF. see Ng VW-K.
Bland P. see Shiloah J.
Blomlöf L, et al. Cervical root resorption associated with guided tissue regeneration: a case report. 392
Boë OE. see Lie T.
Bolz K. see Flemmig TF.
Bordin S, et al. Fibroblast heterogeneity of signal transduction mechanisms to complement-C1q. analyses of calcium mobilization, inositol phosphate accumulation, and protein kinases-C redistribution. 642
Boström L. see Hultin M.
Boyan BD. see Schwartz Z.
Bozon C. see Zahedi S.
Brägger U, et al. Computer-assisted densitometric image analysis of digital subtraction images: in vivo error of the method and effect of thresholding. 967
Bramson J. see Nash KD.
Braswell LD. see Eke PI.
Bray KS. see Jeffcoat MK.
Breschi L, et al. Immunocytochemical discrimination between early and late S phase: a new approach to the study of gingival epithelium proliferation in rats. 84
Brooks CN. see Gunsolley JC.
Brown GD, et al. Hydroxyapatite cement implant for regeneration of periodontal osseous defects in humans. 146
Brown LJ. see Oliver RC.
Brown P. see Preshaw PM.
Brunel G. see Zahedi S.
Bruun G. see Lie T.
Buck D. see Malekzadeh R.
Buck D. see Margolin MD.
Bueno LC, et al. Relationship between conversion of localized juvenile periodontitis-susceptible children from health to disease and *Actinobacillus actinomycetemcomitans* leukotoxin promotor structure. 998
Bulut S. see Özmeric N.
Bürgin W. see Brägger U.
Burt BA. see Taylor GW.

C

Caffesse RG. see Elharar F.
Caffesse RG. see Hürzeler MB.
Caffesse RG. see Kohal RJ.
Caffesse RG. see Trejo PM.
Çağlayan F. see Tavassoli S.
Çağlayan G. see Tavassoli S.
Calandriello M. see Zucchelli G.
Callan DP. see Yukna RA.
Calura G. see Trombelli L.
Camargo PM. see Avera JB.
Camargo PM. see Kwan SK.
Camargo PM. see Lekovic V.
Camargo PM. see Pilloni A.
Campedelli F. see Tinoco EMB.
Caplanis N, et al. Effect of allogenic freeze-dried demineralized bone matrix on guided tissue regeneration in dogs. 851
Cappelli D. see Moritz AJ.
Carere M. see Pilloni A.
Çarin M. see Cebeci I.
Carnes DL, Jr. see Schwartz Z.
Carranza FA, Jr. see Pilloni A.
Cebeci I, et al. Analysis of peripheral blood leukocytes in patients with cyclosporine A-induced gingival hyperplasia. 1435
Çelenligil H, et al. Periodontal status and serum antibody responses to oral microorganisms in Sjogren's syndrome. 571
Center JM, et al. Management of gingival vitiligo with the use of a tattoo technique. 724
Centurione MA. see Breschi L.
Cesari C. see Zucchelli G.
Chai J-K. see Kim C-K.
Champagne CM, et al. Cytoskeletal actin reorganization in neutrophils from patients with localized juvenile periodontitis. 209
Chan TCK. see Giannobile WV.
Chandler J. see Machtei EE.
Chang M-C, et al. Areca nut extract inhibits the growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. 1092
Chang K-M. see Khocht A.
Chapple ILC. see Dibart S.
Chaushu G. see Peleg M.
Chaushu G. see Schwartz-Arad D.
Chen C. see Umeda M.
Cho K-S. see Kim C-K.
Choi S-H. see Kim C-K.
Christou V, et al. Comparison of different approaches of interdental oral hygiene: interdental brushes versus dental floss. 759
Ciaglia RN. see Sbordone L.
Ciancio SG. see Jeffcoat MK.
Claman LJ. see Teparat T.
Clauser C. see Zucchelli G.
Clokie C. see Becker W.
Cobb CM. see Spencer P.
Cochran D. see Graves DT.
Cochran DL. see Lovelace TB.
Cochran DL. see Schwartz Z.
Cogan AG. see Margolin MD.
Collin H-L, et al. Periodontal findings in elderly patients with non-insulin dependent diabetes mellitus. 962
Contreras A. see MacDonald ES.
Contreras A. see Umeda M.
Corbett, TL, et al. A comparison of the site-specificity of supragingival and subgingival calculus deposition. 1
Corigliano M. see Piattelli A.
Corn H. Obituary. 1443
Cortellini P. see Tonetti MS.

Costigliola G. see Piattelli A.
Coumans B. see Zahedi S.
Cox CF. see Smith MM.
Cruz R. see Yukna RA.
Cutler CW. see Doxey DL.

D

Dabbous, MKh. see Tipton DA.
Dahllöf G. see Barr-Agholme M.
Daley T. see Garraway R.
Damani NC. see Needleman IG.
Daniel MA. see Champagne CM.
Davenport JM. see Gunsolley JC.
Davidson L. see Silberman SL.
Davies G. see Machtei EE.
Davis CC, et al. Irritant contact stomatitis: a review of the condition. 620
Dawes C. see Corbett TL.
Dean DD. see Schwartz Z.
Dean JW, III. see Shiloah J.
Delima AJ. see Graves DT.
Dentino AR. see Jeffcoat MK.
DeRouen TA. see Riviere GR.
D'Errico JA. see Takata T.
DeSanctis M. see Zucchelli G.
Devidas M. see Silberman SL.
Dewé W. see Zahedi S.
Dibart S, et al. Microbiological findings in prepubertal periodontitis. A case report 1172
Dimitrijelic B. see Kwan SK.
Dimitrijelic B. see Lekovic V.
DiRienzo JM. see Bueno LC.
Dogan S. see Hillmann G.
Donath K. see Fiorellini JP.
Dongari-Bagtzoglou AI, et al. Increased presence of interleukin-6 (IL-6) and IL-8 secreting fibroblast subpopulations in adult periodontitis. 899
Dos Anjos B, et al. Clinical comparison of cellulose and expanded polytetrafluoroethylene membranes in the treatment of Class II furcations in mandibular molars with 6-month re-entry. 455
Doxey DL, et al. Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin l-beta in a rat model. 113
Dubravec D. see Tonetti MS.
Dudhani RV. see Somayaji BV.
Duke SP, et al. Equivalence in periodontal trials: a description for the clinician. 650
Dumfahrt H, et al. A new approach in restorative treatment of external root resorption. A case report. 941
Dunford R. see Machtei EE.

E

Eber RM. see Ong MMA.
Ebersole JL. see Çelenligil H.
Ebersole JL. see Dongari-Bagtzoglou AI.
Ebersole JL. see Moritz AJ.
Edmundson TP. see McGee JM.
Edo M. see Yagi H.
Eggert FM, et al. Diagnostic utility of specific microbiological markers for periodontal diseases. 1373
Eggert FM, et al. Periodontitis-associated marker bacteria in an urban North American patient population: application of a commercial immunoassay. 1382
Ehmke B. see Flemmig TF.
Ehnevid H. see Jansson LE.
Eickholz P, et al. Periodontal surgery of vertical bony defects with or without synthetic bioabsorbable barriers. 12-month results. 1210
Eickholz P, et al. Reproducibility and validity of assessment of clinical furcation parameters as related to different probes. 328
Eke PI, et al. Microbiota associated with experimental peri-implantitis and periodontitis in adult *Macaca mulatta* monkeys. 190
Elharar F, et al. Guided tissue regeneration with bioabsorbable and expanded polytetrafluoroethylene barrier membranes in the treatment of naturally occurring periodontal defects in dogs. 1218
Ellen RP. see Loomer PM.
Elswick RK. see Gunsolley JC.
Endow JP. see Nagy RJ.
Engebretson SP. see Fiorellini JP.
Engstrom GN. see Barr-Agholme M.
Engstrom P-E. see Barr-Agholme M.
Eratalay K. see Atici K.
Eratalay K. see Çelenligil H.
Eratalay K. see Tavassoli S.
Etikan I. see Atici K.
Evans GH. see Yukna RA.

F

Falconi M. see Breschi L.
Fernández-López, R. see Ledesma-Montes C.
Ferrari C. see Breschi L.
Ferris RT. President's message. 100
Fine DH. see Jeffcoat MK.
Finkelman RD. see Jeffcoat MK.
Fiorellini JP, et al. Guided bone regeneration utilizing expanded polytetrafluoroethylene membranes in combination with submerged and nonsubmerged dental implants in beagle dogs. 528
Fiorellini JP. see Oringer RJ.
Firatli E. see Cebeci I.
Flashner M. see Jeffcoat MK.
Flemmig TF, et al. Long-term maintenance of alveolar bone gain after implantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. 47
Flemmig TF, et al. Working parameters of a magnetostrictive ultrasonic scaler influencing root substance removal in vitro. 547
Flowerdew G. see Eggert FM.

Flynn J. see MacDonald ES.
Fonzar A. see Tonetti MS.
Fourmousis I. see Brägger U.
Fourmousis I. see Tonetti MS.
Fritz ME. see Eke PI.
Froum SJ, et al. Comparison of bioactive glass synthetic bone graft particles and open debridement in the treatment of human periodontal defects. A clinical study. 698
Fu E, et al. Nifedipine-induced gingival overgrowth in rats: brief review and experimental study. 765
Fu E. see Shen E-C.
Fujii N, et al. A histological study on tissue responses to titanium implantation in rat maxilla: the process of epithelial regeneration and bone reaction. 485
Fujii T, et al. Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. 1283

G

Galanzi A. see Breschi L.
Galbraith GMP, et al. Tumor necrosis factor alpha production by oral leukocytes: influence of tumor necrosis factor genotype. 428
Gamonal JA. see López NJ.
Ganatra S. see Uden CE.
Garcés-Ortíz M. see Ledesma-Montes C.
Garg AK. see Peleg M.
Garrett S. see Duke SP.
Garraway R, et al. An assessment of the osteoinductive potential of commercial demineralized freeze-dried bone in the murine thigh muscle implantation model. 1325
Garrett S. see Stoller NH
Gemmell E, et al. Cytokine profiles of lesional and splenic T cells in *Porphyromonas gingivalis* infection in a murine model. 1131
Genco RJ. see Machtei EE.
Genco RJ. see Taylor GW.
Gerlach RW. see Needleman IG.
Geurs N. see Becker BE.
Geurtsen W. see Hillmann G.
Giannobile WV, et al. Recombinant human osteogenic protein-1 (OP-1) stimulates periodontal wound healing in Class III furcation defects. 129
Gibbs CH. see Heins PJ.
Gjermo P. see Tinoco EMB.
Glaros AG. see Spencer P.
Glickman GN. see Ong MMA.
Glockmann E. see Sigusch B.
Golub LM. see Karimbux NY.
Gooss CM. see Gunsolley JC.
Gordon JM. see Jeffcoat MK.
Goseki T. see Shimizu N.
Gottlow J. see Laurell L.
Grant DA. Obituary. 840
Graves DT, et al. Interleukin-1 and tumor necrosis factor antagonists inhibit the progression of inflammatory cell infiltration toward alveolar bone experimental periodontitis. 1419
Greenstein G, et al. The role of local drug delivery in the management of periodontal diseases: a comprehensive review. 507
Gröndahl K. see Miyashita H.
Grossi SG. see Machtei EE.
Gunsolley J. Guest editorial. Equivalence, superiority, and negative clinical trials. 608
Gunsolley JC, et al. The effect of smoking on individuals with minimal periodontal destruction. 165
Gunsolley JC, et al. Equivalence and superiority testing in regeneration clinical trials. 521
Gunsolley JC. see Jeffcoat MK.
Gunsolley JC. see Quinn SM.
Gürel N. see Cebeci I.
Gustafsson A. see Hultin M.

H

Haake SH. see Huang GT-J.
Hagiwara S, et al. Subgingival distribution of periodontopathic bacteria in adult periodontitis and their susceptibility to minocycline-HCl. 92
Hahn L-J. see Chang M-C.
Halben JH. see Jepsen K.
Hanioka T. see Tanaka M.
Harbrow D. see Garraway R.
Harrel SK. see Barnes JB.
Harris RJ. A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. 1426
Harris RJ. A clinical evaluation of an allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. 536; erratum: 1181
Harris RJ. Root coverage with a connective tissue with partial thickness double pedicle graft and an acellular dermal matrix graft: a clinical and histological evaluation of a case report. 1305
Harris RJ. Treatment of a previously placed autogenous masticatory mucosa graft (free gingival graft). A case report. 717
Harrold CQ. see Stoller NH.
Hausmann E. see Machtei EE.
Hayashi J. see He T.
He T, et al. Genotypic characterization of *Actinobacillus actinomycetemcomitans* isolated from periodontitis patients by arbitrarily primed polymerase chain reaction. 69
Heasman PA. see Preshaw PM.
Heins PJ, et al. Pain threshold values during periodontal probing: assessment of maxillary incisor and molar sites. 812
Heinz B. see Jepsen K.

Hernández-Guerrero JC. see Ledesma-Montes C.
Hickel R. see Flemmig TF.
Hildebolt CF. see Shrout MK.
Hillmann G, et al. Histopathological investigation of gingival tissue from patients with rapidly progressive periodontitis. 195
Hochstetter RL. see Rajnay ZW.
Hoen MM. see Hokett SD.
Hokett SD, et al. Inflammatory cervical root resorption following segmental orthognathic surgery. A case report. 219
Hollender LG. see Persson RE.
Hollinger JO. see Malekzadeh R.
Holt SC. see Moritz AJ.
Hopfenmüller W. see Rudhart A.
Hosokawa R. see Naito T.
Howell TH. see Oringer RJ.
Hsiao CT. see Fu E.
Hsieh C-C. see Chang M-C.
Hsieh Y-D. see Fu E.
Huang GT-J, et al. Gingival epithelial cells increase interleukin-8 secretion in response to *Actinobacillus actinomycetemcomitans* challenge. 1105
Huber A. see Augthun M.
Hughes FJ. see King GN.
Hujoel PP, et al. Evaluating the burst hypothesis at a site-specific level using the lack-of-fit test. 357
Hultin M, et al. Neutrophil response and microbiological findings around teeth and dental implants. 1413
Humphreys-Beher MG. see Oxford GE.
Hürzeler MB, et al. Changes in peri-implant tissues subjected to orthodontic forces and ligature breakdown in monkeys. 396
Hürzeler MB. see Kohal RJ.
Huynh T. see Miyasaki KT.

I

Iacono VJ. see Sbordone L.
Iacopino AM. see Doxey DL.
Imboden MA. see Tonetti MS.
Inagaki K. see Yoshinari N.
Inoue T. see Ayukawa Y.
Inouye AE. see Nagy RJ.
Ishihara K. see Takahashi J.
Ishikawa I. see He T.
Ito K, et al. Effects of bioabsorbable and non-resorbable barrier membranes on bone augmentation in rabbit calvaria. 1229
Ito K. see Yagi H.
Iyama S. see Takeshita F.

J

Jansson LE, et al. The influence of endodontic infection on the periodontal status in mandibular molars. 1392
Jariwala U. see Somayaji BV.
Jayachandran P. see Somayaji BV.
Jeffcoat MK, et al. Adjunctive use of a subgingival controlled-release chlorhexidine chip reduced probing depth and improves attachment level compared with scaling and root planing alone. 989
Jeng J-H. see Chang M-C.
Jepsen K, et al. Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. 383
Jepsen S. see Jepsen K.
Johnson LR. see Stoller NH.
Johnson PW. see Kapila YL.
Johnson RB. see McGee JM.
Jones AA. see Lovelace TB.

K

Kage A. see Rudhart A.
Kamma JJ. see Nakou M.
Kansu E. see Çelenligil H.
Kantarci A. see Cebeci I.
Kapila YL, et al. The response of periodontal ligament cells to fibronectin. 1008
Kaplan PL. see Giannobile WV.
Karch H. see Flemmig TF.
Karimbux NY, et al. The expression of collagen I and XII mRNAs in *Porphyromonas gingivalis*-induced periodontitis in rats: the effect of doxycycline and chemically modified tetracycline. 34
Karpinia KA. see Heins PJ
Kavvadia K. see Vanderas AP.
Kawai O. see Fujii T.
Kawakami T. see Fujii T.
Kawase H. see Yoshinari N.
Kenney EB. see Avera JB.
Kenney EB. see Kwan SK.
Kenney EB. see Lekovic V.
Khocht A, et al. Clinical evaluation of electronic and manual constant force probes. 19
Killoy WJ. see Jeffcoat MK.
Kim C-K, et al. Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. 982
Kim C-K, et al. Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. 26
Kim C-K et al. Periodontal repair in intrabony defects treated with a calcium sulfate implant and calcium sulfate barrier. 1317
Kim H-Y. see Kim C-K.
Kim T-S. see Eickholz P.
King GN, et al. The effect of root surface demineralization on bone morphogenetic protein-2-induced healing of rat periodontal fenestration defects. 561
King N. see King GN.
Klaiber B. see Flemmig TF.

Klinger G. see Sigusch B.
Klokkevold PR. see Avera JB.
Klokkeveld PR. see Kwan SK.
Klokkevold PR. see Lekovic V.
Knowler WC. see Taylor GW.
Kobayashi K, et al. Gingival crevicular pH in experimental gingivitis and occlusal trauma in man. 1036
Kobayashi K. see Kobayashi K.
Kohal RJ, et al. The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. 927
Kohal RJ. see Hürzeler MB.
Koide M. see Yoshinari N.
Koivisto A-M. see Collin H-L.
Kontturi-Narhi V. see Collin H-L.
Korsnes MI. see Ong MMA.
Koschzeck L. see Eggert FM.
Kowashi Y. see Fujii T.
Kratochvil FJ. see Yih W-Y.
Krauser JT. see Yukna RA.
Kübler NR. see Flemmig TF.
Kuo M Y-P. see Chang M-C.
Kusakari H. see Fujii N.
Kütükçüler N. see Atilla G.
Kwan SK, et al. The use of autogenous periosteal grafts as barriers for the treatment of intrabony defects in humans. 1203

L

Lambrechts P. see Peumans M.
Lana M. see Tinoco EMB.
Lancero H. see Kapila YL.
Lang NP. see Brägger U.
Lang NP. see Tonetti MS.
Lantz MS. see Moritz AJ.
Lauffart B. see Preshaw PM.
Laurell L, et al. Treatment of intrabony defects by different surgical procedures. A literature review. 303
Laurell L. see Persson RE.
Ledesma-Montes C, et al. Gingival salivary gland choristoma. A case report. 1164
Lee MB. see Caplanis N.
Legrand R. see Zahedi S.
Le Jeune RC. see Silberman SL.
Lejeune S. see Bader G.
Lekovic V, et al. Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study in humans. 1050
Lekovic V, et al. Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. 54
Lekovic V, et al. Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. 1044
Lekovic V. see Avera JB.
Lekovic V. see Kwan SK.
Lenhard M. see Eickholz P.
Leroux BG. see Hujoel PP.
Lie T, et al. Effects of topical metronidazole and tetracycline in treatment of adult periodontitis. 819
Lilly GE. see Davis CC.
Lin S-K. see Chang M-C.
Lindskog S. see Blomlöf L.
Loë H. see Oliver RC.
Loomer PM, et al. Effects of *Porphyromonas gingivalis* 2561 extracts on osteogenic and osteoclastic cell function in co-culture. 1263
López NJ, et al. Effects of metronidazole plus amoxicillin in progressive untreated adult periodontitis: results of a single 1-week course after 2 and 4 months. 1291
Loureiro CA. see Tinoco EMB.
Lovelace TB, et al. Clinical evaluation of bioactive glass in the treatment of periodontal osseous defects in humans. 1027
Lowenguth RA. see Jeffcoat MK.
Luder HU, et al. Nature and attachment of cementum formed under guided conditions in human teeth. An electron microscopic study. 889

M

MacDonald ES, et al. Clinical and microbiological evaluation of a bioabsorbable and a nonresorbable barrier membrane in the treatment of periodontal intraosseous lesions. 445
Machtei EE, et al. Radiographic and clinical responses to periodontal therapy. 590
MacNeil RL. see Ong MMA.
McAllister BS. see Malekzadeh R.
McAllister BS. see Margolin MD.
McAllister TN. see Margolin MD.
McGee JM, et al. The relationship between concentrations of proinflammatory cytokines within gingiva and the adjacent sulcular depth. 865
McIntyre EW. see Eggert FM.
McKaig R. see Patton LL.
McLeod MH. see Eggert FM.
Maeda T. see Fujii N.
Magnani C. see Tonetti MS.
Magnusson NI. see Jeffcoat MK.
Maier T. see Yih W-Y.
Mailhot JM. see Shrout MK.
Malekzadeh R, et al. Isolation of human osteoblast-like cells and in vitro amplification for tissue engineering. 1256
Mancini S. see Center JM.
Marcus M, et al. Concepts of quality and the provision of periodontal care: a survey. 228
Marcus M. see Miyasaki KT.
Margolin MD, et al. Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. 911

Markkanen H. see Collin H-L.
Maruniak JW. see Heins PJ.
Matarasso S. see Piattelli A.
Matsuda K. see Fujii T.
Mayer MPA. see Bueno LC.
Mazor Z. see Peleg M.
Mazzotti G. see Breschi L.
Mealey BL. see Brown GD.
Meffert R. see Dos Anjos B.
Meffert RM. see Lovelace TB.
Mehl A. see Flemmig TF.
Mellas P. see Kohal RJ.
Mellonig JT. see Lovelace TB.
Mellonig JT. see Schwartz Z.
Messner M. see Bader G.
Meurman JH. see Collin H-L.
Mitsis F. see Nakou M.
Miyasaki KT, et al. Calprotectin and lactoferrin levels in the gingival crevicular fluid of children. 879
Miyashita H, et al. Impact of endodontic conditions on marginal bone loss. 158
Mock D. see Center JM.
Modeer T. see Barr-Agholme M.
Mongardini C. see Quirynen M.
Moon I-S. see Kim C-K.
Moore K. see Yukna RA.
Moorhead JE. see Heins PJ.
Mori A. see Yoshinari N.
Moritz AJ, et al. Immunization with *Porphyromonas gingivalis* cysteine protease: effects on experimental gingivitis and ligature-induced periodontitis in *Macaca fascicularis*. 686
Morris HF. see Orenstein IH.
Morris PJ. see Spencer P.
Morrison E. see Kohal RJ.
Morrison J. see MacDonald ES.
Morison JL. see Umeda M.
Moschèn I. see Dumfahrt H.
Mühlemann HR. Obituary. 279
Muller-Campanile, V. see Tonetti MS.
Munoz K. see Machtei EE.
Murai K. see Takeshita F.
Murai S. see Ito K.
Murai S. see Yagi H.

N

Nagy RJ, et al. The effects of a single course of a calculus-softening scaling and root planing gel. A scanning electron microscopic study. 806
Naito T, et al. Three-dimensional alveolar bone morphology analysis using computed tomography. 584
Nakagawa T. see Takahashi J.
Nakou M, et al. Subgingival microflora associated with nifedipine-induced gingival overgrowth. 664
Nanba K. see Ito K.
Nash KD, et al. Economic models to help periodontists evaluate their practices: how to analyze a practice to assess the potential impact of managed care contracts. 241
Nauman RK. see Bimstein E.
Navia, JM. see Pattanaporn K.
Nedic M. see Kwan SK.
Nedic M. see Lekovic V.
Nedleman HL. see Dibart S.
Needleman IG, et al. Retention, antimicrobial activity, and clinical outcomes following use of a bioerodable tetracycline gel in moderate to deep periodontal pockets. 578
Nemcovsky CE. see Artzi Z.
Ng VW-K, et al. Clinical evaluation of systemic doxycycline and ibuprofen administration as an adjunctive treatment for adult periodontitis. 772
Nguyen KHT. see Oxford GE.
Nicoll BK, et al. Heat generation during ultrasonic instrumentation of dentin as affected by different irrigation methods. 884
Nieh S. see Fu E.
Nishimura I. see Karimbux NY.
Niskanen L. see Collin H-L.
Noguchi T. see Yoshinari N.
Nordland WP, et al. A classification system for loss of papillary height. 1124
Novaes AB, Jr. see Dos Anjos B.
Nowzari H. see MacDonald ES.
Nummikoski PV. see Brown GD.
Nummikoski PV. see Lovelace TB.

O

Oates T. see Graves DT.
Ochi S. see Orenstein IH.
Offenbacher S. see Jeffcoat MK.
Ohtsuka Y. see Ayukawa Y.
Ohzeki K. se Shimizu N.
Okuda K. see Takahashi J.
Oliver RC, et al. Periodontal diseases in the United States population. 269
Ong MMA, et al. Evaluation of a bioactive glass alloplast in treating periodontal intrabony defects. 1346
Orenstein IH, et al. Factors affecting implant mobility at placement and integration of mobile implants at uncovering. 1404
Oringer RJ, et al. The effect of different diagnostic thresholds on incidence of disease progression. 872
Otomo-Corgel J. see Nagy RJ.
Oxford GE, et al. Elevated salivary EGF levels stimulated by periodontal surgery. 479
Ozawa Y. see Shimizu N.
Özmeric N, et al. The correlation of gingival crevicular fluid interleukin-8 levels and periodontal status in localized juvenile periodontitis. 1299

P

Palcanis KG. see Jeffcoat MK.
Pandy JP. see Galbraith GMP.

Paolantonio M. see Piattelli A.
Papagiannoulis L. see Vanderas AP.
Parashis A, et al. Comparison of 2 regenerative procedures—guided tissue regeneration and demineralized freeze-dried bone allograft—in the treatment of intrabony defects: a clinical and radiographic study. 751
Park N-H. see Huang GT-J.
Parma-Benfenati S, et al. Histological evaluation of new attachment utilizing a titanium-reinforced barrier membrane in a mucogingival recession defect. A case report. 834
Patil KD. see Uden CE.
Patroni S. see Tonetti MS.
Pattanaporn K, et al. The relationship of dental calculus to caries, gingivitis, and selected salivery factors in 11- to 13-year-old children in Chiang Mai, Thailand. 955
Patters MR. see Shiloah J.
Patton LL, et al. Rapid progression of bone loss in HIV-associated necrotizing ulcerative stomatitis. 710
Payne JT. see Smith MM.
Peleg M, et al. Sinus floor augmentation with simultaneous implant placement in the severely atrophic maxilla. 1397
Persson GR. see Persson RE.
Persson R. see Laurell L.
Persson RE, et al. Alveolar bone levels in AIDS and HIV seropositive patients and in control subjects. 1056
Persson RE, et al. Horizontal alveolar bone loss and vertical bone defects in an adult patient population. 348
Peters RJ. see Nicoll BK.
Petersilka GJ. see Flemmig TF.
Pettit DJ. see Taylor GW.
Peumans M, et al. The influence of direct composite additions for the correction of tooth form and/or position on periodontal health. A retrospective study. 422
Piattelli A, et al. Histologic observations on 230 retrieved dental implants: 8 years' experience (1989-1996). 178
Piattelli A, et al. Hollow implants retrieved for fracture: a light and scanning electron microscope analysis of 4 cases. 185
Piattelli A, et al. Immediate loading of titanium plasma-sprayed implants: an histologic analysis in monkeys. 321
Piattelli M. see Piattelli A.
Pilloni A, et al. Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. 791
Pini Prato G. see Tonetti MS.
Polson A. see Greenstein G.
Portilla-Robertson J. see Ledesma-Montes C.
Potter BJ. see Shrout MK.
Preshaw PM, et al. Effects of keterolac tromethamine mouthrinse (0.1%) on crevicular fluid prostaglandin E_2 concentrations in untreated chronic periodontitis. 777
Preus HR. see Tinoco EMB.
Prewitt A. see Kim C-K.
Proskin HM. see Jeffcoat MK.
Purucker P. see Rudhart A.

Q

Quinn SM, et al. The influence of smoking and race on adult periodontitis and serum IgG2 levels. 171
Quinn SM. see Gunsolley JC.
Quiñones CR. see Hürzeler MB.
Quirynen M, et al. The effect of a l-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis patients. A pilot study. 374
Quirynen M. see Peumans M.

R

Rajnay ZW, et al. Immediate placement of an endosseous root-form implant in an HIV-positive patient: report of a case. 1167
Ramaglia L. see Sbordone L.
Ramamurthy NS. see Karimbux NY.
Rams TE. see Tinoco EMB.
Reasner DS. see Oringer RJ.
Reinhardt RA. see Uden CE.
Reuther JF. see Flemmig TF.
Ricci A. see Becker BE.
Rivera-Hidalgo F. see Barnes JB.
Riviere GE, et al. Association of oral spirochetes from periodontally healthy sites with development of gingivitis. 496
Rizzoli R. see Breschi L.
Roberson B. see Shrout MK.
Rodriguez HJ. see Elharar F.
Rohde M. see Hürzeler MB.
Rose L. see Champagne CM.
Rose, ST. President's address. 1440
Rudhart A, et al. Local metronidazole application in maintenance patients. Clinical and microbiological evaluation. 1148
Ryan S. see Giannobile WV.

S

Saito A. see Takahashi J.
Sanders JJ. see Galbraith GMP.
Sanz M. see Tonetti MS.
Saunders GK. see Smith MM.
Sbordone L, et al. Periodontal status and subgingival microbiota of insulin-dependent juvenile diabetes: a 3-year longitudinal study. 120
Scabbia A. see Trombelli L.
Scarano A. see Piattelli A.

Schenkein HA. Etiology of localized juvenile periodontitis. Guest editorial. 1068
Schenkein HA. see Gunsolley JC.
Schenkein HA. see Quinn SM.
Schifferle R. see Machtei EE.
Schild G. see Brägger U.
Schmid G. see Brägger U.
Schmidt M. see Machtei EE.
Schwartz Z, et al. Addition of human recombinant bone morphogenetic protein-2 to inactive commercial human demineralized freeze-dried bone allograft makes an effective composite bone inductive implant material. 1337
Schwartz Z, et al. Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation is dependent on donor age but not gender. 470
Schwartz-Arad D, et al. Immediate implant placement: a procedure without incisions. 743
Scott JB. see Yukna RA.
Selvig KA. see Caplanis N.
Sennerby L. see Becker W.
Serio CL. see McGee JM.
Serio FG. see Silberman SL.
Seymour GJ. see Gemmell E.
Shapira L. see Bimstein E.
Shen E-C, et al. Carious lesions in the heroin addicted patient. A case report. 938
Shen E-C. see Fu E.
Shih M-S. see Giannobile WV.
Shiloah J, et al. The prevalence of *Actinobacillus actinomycetemcomitans*, *Porphyromonas gingivalis*, and *Bacteroides forsythus* in humans 1 year after 4 randomized treatment modalities. 1364
Shimizu N, et al. Induction of COX-2 expression by mechanical tension force in human periodontal ligament cells. 670
Shimono M. see Ayukawa Y.
Shizukuishi S. see Tanaka M.
Shlossman M. see Taylor GW.
Shrout MK, et al. A comparison of 2 patient populations using fractal analysis. 9
Shusterman S. see Dibart S.
Shyr Y. see Ong MMA.
Sigusch B, et al. Early-onset and adult periodontitis associated with abnormal cytokine production by activated T lymphocytes. 1098
Silberman SL, et al. A method for determining patient oral care skills: The University of Mississippi Oral Hygiene Index. 1176
Simon H-U. see Sigusch B.
Skobe Z. see Dibart S.
Slots J. see MacDonald ES.
Slots J. see Umeda M.
Smales FC. see Needleman IG.
Smith MM, et al. Pulp remains viable following vital amputation of the mesio-buccal root of the maxillary fourth premolar in dogs. 798
Smith SR. see Needleman IG.
Soeda W. see Kobayashi K.
Solt CW. see Teparat T.
Somayaji BV, et al. Evaluation of antimicrobial efficacy and release pattern of tetracycline and metronidazole using a local delivery system. 409
Somerman MJ. see Takata T.
Somers A. see Schwartz Z.
Sottosanti JS. see Kim C-K.
Spencer P, et al. Change in temperature of subjacent bone during soft tissue laser ablation. 1278
Spolsky V. see Marcus M.
Squier CA. see Davis CC.
Staehle HJ. see Eickholz P.
Steed RB. see Galbraith GMP.
Stoller NH, et al. The pharmacokinetic profile of a biodegradable controlled-release delivery system containing doxycycline compared to systemically delivered doxycycline in gingival crevicular fluid, saliva, and serum. 1085
Strayhorn C. see Takata T.
Strocchi P. see Breschi L.
Strub JR. see Hürzeler MB.
Su DL. see Giannobile WV.
Suetsugu T. see Ayukawa Y.
Suetsugu T. see Takeshita F.
Suvan JE. see Tonetti MS.

T

Taichman RS. see Takata T.
Takata T, et al. Protein extracts of dentin affect proliferation and differentiation of osteoprogenitor cells in vitro. 1247
Takada T. see Yoshinari N.
Takahashi J, et al. Dynamics of serum immunoglobulin G avidity for *Porphyromonas gingivalis* in adult periodontitis. 367
Takamatsu N. see Hagiwara S.
Takaya K. see Tanaka M.
Takeshita F, et al. Uncontrolled diabetes hinders bone formation around titanium implants in rat tibiae. A light and fluorescent microscopy, and image processing study. 314
Takeshita F. see Ayukawa Y.
Tan X. see Bordin S.
Tanaka T, et al. Association of oxygen tension in human periodontal pockets with gingival inflammation. 1127
Tanaka T. see Ayukawa Y.
Tanaka Y. see Oxford GE.
Tarnow D. see Froum SJ.
Tarnow DP. see Nordland WP.
Tarnow DP. see Orenstein IH.
Tatakis DN. see Trombelli L.
Tavassoli S, et al. The clinical effects of nifedipine on periodontal status. 108
Taylor GW, et al. Non-insulin dependent diabetes mellitus and alveolar bone loss progression over 2 years. 76
Taylor M. see Margolin MD.
Tenenbaum HC. see Center JM.

Tenenbaum HC. see Loomer PM.
Teparat T, et al. Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. 632
Teuscher U. see Hürzeler MB.
Tew J. see Gunsolley JC.
Tew JG. see Quinn SM.
Timmerman MF. see Christou V.
Tinoco EMB, et al. Clinical and microbiologic effects of adjunctive antibiotics in treatment of localized juvenile periodontitis. A controlled clinical trial. 1355
Tinoco NMB. see Tinoco EMB.
Tinschert J. see Augthun M.
Tinti C. see Parma-Benfenati S.
Tipton DA, et al. Autocrine transforming growth factor β stimulation of extracellular matrix production by fibroblasts from fibrotic human gingiva. 609
Tohya T. see Yoshinari N.
Toledo G. see Shiloah J.
Tominaga Y. see Hagiwara S.
Tonetti MS, et al. Generalizability of the added benefits of guided tissue regeneration in the treatment of deep intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. 1183
Tonetti MS, et al. Neutrophil migration into the gingival sulcus is associated with transepithelial gradients of interleukin-8 and ICAM-1. 1139
Toth C. see Margolin MD.
Trapnell S. see Stoller NH.
Trejo PM, et al. Effects of expanded polytetrafluoroethylene and polylactic acid barriers on healthy sites. 14
Trejo PM. see Kohal RJ.
Trombelli L, et al. Subpedicle connective tissue graft versus guided tissue regeneration with bioabsorbable membrane in the treatment of human gingival recession defects. 1271
Tsiklakis K. see Parashis A.
Tucci MA. see McGee JM.
Tuncer O. see Cebeci I.

U

Uden CE, et al. Histology near periodontitis osteoclasts. 363
Umeda M, et al. Risk indicators for harboring periodontal pathogens. 1111
Umeda M, et al. The utility of whole saliva to detect the oral presence of periodontopathic bacteria. 828
Umeda M. see Hagiwara S.
Underwood S. see Miyasaki KT.
Urist MR. see Becker W.
Uusitupa M. see Collin H-L.

V

Vaia E. see Piattelli A.
Vaikuntam J. see Champagne CM.
Vanderas AP, et al. Urinary catecholamine levels and gingivitis in children. 554
Van der Velden U. see Christou V.
Van der Weijden FA. see Christou V.
Van Dyke TE. see Champagne CM.
Vangsted T. see Tonetti MS.
Vanherle G. see Peumans M.
Van Meerbeck B. see Peumans M.
van Steenberghe D. see Quirynen M.
Vernon K. see Silberman SL.
Voganatsi A. see Miyasaki KT

W

Wagner M. see Bimstein E.
Waldman HB. Changing number and distribution of periodontists: a continuing imbalance—1987-1995. 439
Waldrop TC. see Brown GD.
Wang H-L. see Ong MMA.
Warbington ML. see Champagne CM.
Wasylyk J. see Eggert FM.
Watanabe T. see Kobayashi K.
Weber HP. see Fiorellini JP.
Weinberg MA. see Froum SJ.
Weinlaender M. see Lekovic V.
Weltman R. see Trejo PM.
Wennstrom JL. see Miyashita H.
White C, Jr. Repair of a root resorption lesion. A case report. 596
Wieliczka DM. see Spencer P.
Wikesjö UME see Caplanis N.
Wikesjö UME. see Fu E.
Wikesjö UME. see Kim C-K.
Winning TA. see Gemmell E.
Wozney JM. see Schwartz Z.

Y

Yagi H, et al. Effects of repeated hand instrumentation on the marginal portion of a cast gold crown. 41
Yamada S. see Takahashi J.
Yamaguchi M. see Shimizu N.
Yamalik N. see Atici K.
Yamalik N. see Tavassoli S.
Yamamoto M. see He T.
Yih W-Y, et al. Analysis of desquamative gingivitis using direct immunofluorescence in conjunction with histology. 678
Yokota M. see Naito T.
Yoshinari M. see Ayukawa Y.
Yoshinari N, et al. Inflammatory cell population and bacterial contamination of membranes used for guided tissue regenerative procedures. 460
Young WG. see Garraway R.
Yukna RA, et al. Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a

bone replacement graft material in human periodontal osseous defects. 6-month results. 655

Z

Zabalegui I. see Tonetti MS.
Zackin SJ. Dental insurance and the periodontal patient. 261
Zahedi S, et al. Evaluation of diphenylphosphorylazide-crosslinked collagen membrane or guided bone regeneration in mandibular defects in rats. 1238
Zahedi S, et al. A 2-year clinical evaluation of a diphenylphosphorylazide-cross-linked collagen membrane for the treatment of buccal gingival recession. 975
Zak E. see Preshaw PM.
Zappa U. see Luder HU.
Zhang J-B. see Quinn SM.
Zieper MB. see Yih W-Y.
Zimmerman GJ. see Caplanis N.
Zucchelli G, et al. Early bacterial accumulation on guided tissue regeneration membrane materials. An in vitro study. 1193
Zucchelli G, et al. Mucogingival versus guided tissue regeneration procedures in the treatment of deep recession type defects. 138
Zybutz M. see Laurell L.

JOURNAL OF PERIODONTOLOGY

Subject Index to Volume 69, 1998, numbers 1 through 12

A

ACQUIRED IMMUNODEFICIENCY SYNDROME
- Alveolar bone levels in AIDS and HIV seropositive patients and in control subjects. Persson RE, et al. 1056
- Rapid progression of bone loss in HIV-associated necrotizing ulcerative stomatitis. Patton LL, et al. 710

ACTINOBACILLUS ACTINOMYCETEMCOMITANS
- Genotypic characterization of *Actinobacillus actinomycetemcomitans* isolated from periodontitis patients by arbitrarily primed polymerase chain reaction. He T, et al. 69
- Gingival epithelial cells increase interleukin-8 secretion in response to *Actinobacillus actinomycetemcomitans* challenge. Huang GT-J. 1105
- The prevalence of *Actinobacillus actinomycetemcomitans, Porphyromonas gingivalis,* and *Bacteroides forsythus* in humans 1 year after 4 randomized treatment modalities. Shiloah J, et al. 1364
- Relationship between conversion of localized juvenile periodontitis-susceptible children from health to disease and *Actinobacillus actinomycetemcomitans* leukotoxin promotor structure. Bueno LC, et al. 998
- Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111

ADIPOCYTES
- Uncontrolled diabetes mellitus hinders bone formation around titanium implants in rat tibiae. A light and fluorescence microscopy, and image processing study. Takeshita F, et al. 314

ADOLESCENTS
- The relationship of dental calculus to caries, gingivitis, and selected salivary factors in 11- to 13-year-old children in Chiang Mai, Thailand. Pattanaporn K, et al. 955

AEROSOLS
- Blood contamination of the aerosols produced by in vivo use of ultrasonic scalers. Barnes JB, et al. 434

AGED
- Periodontal findings in elderly patients with non-insulin dependent diabetes mellitus. Collin H-L, et al. 962

AIR ABRASION
- In vitro studies on the effect of cleaning methods on different implant surfaces. Augthun M, et al. 857

AIR POLLUTION/prevention and control
- Blood contamination of the aerosols produced by in vivo use of ultrasonic scalers. Barnes JB, et al. 434

ALLERGENS
- Irritant contact stomatitis: a review of the condition. Davis CC, et al. 620

ALVEOLAR BONE
- Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26

ALVEOLAR BONE/anatomy and histology
- Horizontal alveolar bone loss and vertical bone defects in an adult patient population. Persson RE, et al. 348

ALVEOLAR BONE/radiography
- Horizontal alveolar bone loss and vertical bone defects in an adult patient population. Persson RE, et al. 348

ALVEOLAR BONE LOSS
- Alveolar bone levels in AIDS and HIV seropositive patients and in control subjects. Persson RE, et al. 1056
- Cervical root resorption associated with guided tissue regeneration: a case report. Blömlof L, et al. 392
- Impact of endodontic conditions on marginal bone loss. Miyashita H, et al. 158
- Interleukin-1 and tumor necrosis factor antagonists inhibit the progression of inflammatory cell infiltration toward alveolar bone experimental periodontitis. Graves DT, et al. 1419
- Non-insulin dependent diabetes mellitus and alveolar bone loss progression over 2 years. Taylor GW, et al. 76

ALVEOLAR BONE LOSS/radiography
- Three-dimensional alveolar bone morphology analysis using computed tomography. Naito T, et al. 584

ALVEOLAR RIDGE AUGMENTATION
- The application of deproteinized bovine bone mineral for ridge preservation prior to implantation. Clinical and histological observations in a case report. Artzi Z, et al. 1062
- Long-term maintenance of alveolar bone gain after implantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. Flemmig TF, et al. 47
- Sinus floor augmentation with simultaneous implant placement in the severely atrophic maxilla. Peleg M, et al. 1397

AMERICAN ACADEMY OF PERIODONTOLOGY
- Changing health care environment: implications for periodontics. Task Force report. 227
- Current understanding of the role of microscopic monitoring, baking soda, and hydrogen peroxide in the treatment of periodontal disease. Position paper. 951
- Guidelines for periodontal therapy. 405
- 1997 Orban competition and research forum abstracts. 285
- Periodontal disease as a potential risk factor for systemic diseases. Position paper. 841
- President's address. Rose ST. 1440
- President's message. Ferris RT. 100
- Program Outline, 1998 Annual Meeting 737

Report of the American Academy of Periodontology's Workshop on the Design and Conduct of Clinical Trials for Endosseous Dental Implants. 280
Supportive periodontal therapy (SPT). Position paper. 502
AMOXICILLIN/therapeutic use
Clinical and microbiologic effects of adjunctive antibiotics in treatment of localized juvenile periodontitis. A controlled clinical trial. Tinoco EMB, et al. 1355
Effects of metronidazole plus amoxicillin in progressive untreated adult periodontitis: results of a single 1-week course after 2 and 4 months. López NJ, et al. 1291
ANIMAL STUDIES
Changes in peri-implant tissues subjected to orthodontic forces and ligature breakdown in monkeys. Hürzeler MB, et al. 396
Cytokine profiles of lesional and splenic T cells in *Porphyromonas gingivalis* infection in a murine model. Gemmell E, et al. 1131
Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin 1-beta in a rat model. Doxey DL, et al. 113
Effect of allogenic freeze-dried demineralized bone matrix on guided tissue regeneration in dogs. Caplanis N, et al. 851
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
The effect of root surface demineralization on bone morphogenetic protein-2-induced healing of rat periodontal fenestration defects. King GN, et al. 561
Effects of bioabsorbable and non-resorbable barrier membranes on bone augmentation in rabbit calvaria. Ito K, et al. 1229
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
Evaluation of a diphenylphosphorylazide-crosslinked collagen membrane for guided bone regeneration in mandibular defects in rats. Zahedi S, et al. 1238
The expression of collagen I and XII mRNAs in *Porphyromonas gingivalis*-induced periodontitis in rats: the effect of doxycycline and chemically modified tetracycline. Karimbux NY, et al. 34
Guided bone regeneration utilizing expanded polytetrafluoroethylene membranes in combination with submerged and nonsubmerged dental implants in beagle dogs. Fiorellini JP, et al. 528
Guided tissue regeneration with bioabsorbable and expanded polytetrafluoroethylene barrier membranes in the treatment of naturally occurring periodontal defects in dogs. Elharar F, et al. 1218
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54
A histological study on tissue responses to titanium implantation in rat maxilla: the process of epithelial regeneration and bone reaction. Fujii N, et al. 485
Immediate loading of titanium plasma-sprayed implants: an histologic analysis in monkeys. Piattelli A, et al. 321
Immunization with *Porphyromonas gingivalis* cysteine protease: effects on experimental gingivitis and ligature-induced periodontitis in *Macaca fascicularis.* Moritz AJ, et al. 686
Immunocytochemical discrimination between early and late S phase: a new approach to the study of gingival epitheliumm proliferation in rats. Breschi L, et al. 84
An immunocytochemical study for lysosomal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. Ayukawa Y, et al. 62
Interleukin-1 and tumor necrosis factor antagonists inhibit the progression of inflammatory cell infiltration toward alveolar bone experimental periodontitis. Graves DT, et al. 1419
Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. Margolin MD, et al. 911
Microbiota associated with experimental peri-implantitis and periodontitis in adult *Macaca mulatta* monkeys. Eke PI, et al. 190
Nifedipine-induced gingival overgrowth in rats: brief review and experimental study. Fu E, et al. 765
Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26
Pulp remains viable following vital amputation of the mesio-buccal root of the maxillary fourth premolar in dogs. Smith MM, et al. 798
Recombinant human osteogenic protein-1 (OP-1) stimulates periodontal wound healing in Class III furcation defects. Giannobile WV, et al. 129
Uncontrolled diabetes mellitus hinders bone formation around titanium implants in rat tibiae. A light and fluorescence microscopy, and image processing study. Takeshita F, et al. 314
ANTIBODIES, BACTERIAL
Dynamics of serum immunoglobulin G avidity for *Porphyromonas gingivalis* in adult periodontitis. Takahashi J, et al. 367
Immunization with *Porphyromonas gingivalis* cysteine protease: effects on experimental gingivitis and ligature-induced periodontitis in *Macaca fascicularis.* Moritz AJ, et al. 686
Periodontal status and serum antibody responses to oral microoganisms in Sjogren's syndrome. Çelenligil H, et al. 571
ASPARTATE AMINOTRANSFERASE
Analysis of gingival crevicular fluid intracytoplasmic enzyme activity in patients with adult periodontitis and rapidly progressive periodontitis. A longitudinal

study model with periodontal treatment. Atici K, et al. 1155

B

BACTEROIDES FORSYTHUS
The prevalence of *Actinobacillus actinomycetemcomitans, Porphyromonas gingivalis,* and *Bacteroides forsythus* in humans 1 year after 4 randomized treatment modalities. Shiloah J, et al. 1364
Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111
BETEL/adverse effects
Areca nut extract inhibits growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. Chang M-C, et al. 1092
BICUSPID
Pulp remains viable following vital amputation of the mesio-buccal root of the maxillary fourth premolar in dogs. Smith MM, et al. 798
BIOCOMPATIBLE MATERIALS
The application of deproteinized bovine bone mineral for ridge preservation prior to implantation. Clinical and histological observations in a case report. Artzi Z, et al. 1062
Repair of a root resorption lesion: a case report. White C, Jr. 596
BLOOD-BORNE PATHOGENS
Blood contamination of the aerosols produced by in vivo use of ultrasonic scalers. Barnes JB, et al. 434
BLOOD CELLS, MONONUCLEAR
Early-onset and adult periodontitis associated with abnormal cytokine production by activated T lymphocytes. Sigusch B, et al. 1098
BONE AND BONES
The application of deproteinized bovine bone mineral for ridge preservation prior to implantation. Clinical and histological observations in a case report. Artzi Z, et al. 1062
Change in temperature of subjacent bone during soft tissue laser ablation. Spencer P, et al. 1278
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
Treatment of intrabony defects by different surgical procedures. A literature review. Laurell L, et al. 303
BONE AND BONES/therapeutic use
Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. Margolin MD, et al. 911
BONE, DEMINERALIZED
Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation is dependent on donor age but not gender. Schwartz Z, et al. 470
Addition of human recombinant bone morphogenetic protein-2 to inactive commercial human demineralized freeze-dried bone allograft makes an effective composite bone inductive implant material. Schwartz Z, et al. 1337
An assessment of the osteoinductive potential of commercial demineralized freeze-dried bone in the murine thigh muscle implantation model. Garraway R, et al. 1325
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
Clinical evaluation of bioactive glass in the treatment of periodontal osseous defects in humans. Lovelace TB, et al. 1027
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
Effect of allogenic freeze-dried demineralized bone matrix on guided tissue regeneration in dogs. Caplanis N, et al. 851
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
Effects of *Porphyromonas gingivalis* 2561 extracts on osteogenic and osteoclastic cell function in co-culture. Loomer PM, et al. 1263
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
Long-term maintenance of alveolar bone gain after implantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. Flemmig TF, et al. 47
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. Yukna RA, et al. 655
Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26
Periodontal repair in intrabony defects treated with a calcium sulfate implant and calcium sulfate barrier. Kim C-K, et al. 1317
BONE, FREEZE-DRIED
Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation is dependent on donor age but not gender. Schwartz Z, et al. 470
Addition of human recombinant bone morphogenetic protein-2 to inactive commercial human demineralized freeze-dried bone allograft makes an effective

composite bone inductive implant material. Schwartz Z, et al. 1337
An assessment of the osteoinductive potential of commercial demineralized freeze-dried bone in the murine thigh muscle implantation model. Garraway R, et al. 1325
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
Clinical evaluation of bioactive glass in the treatment of periodontal osseous defects in humans. Lovelace TB, et al. 1027
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
Effect of allogenic freeze-dried demineralized bone matrix on guided tissue regeneration in dogs. Caplanis N, et al. 851
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
Long-term maintenance of alveolar bone gain after implantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. Flemmig TF, et al. 47
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. Yukna RA, et al. 655
Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26
Periodontal repair in intrabony defects treated with a calcium sulfate implant and calcium sulfate barrier. Kim C-K, et al. 1317

BONE LOSS
Histopathological investigation of gingival tissue from patients with rapidly progressive periodontitis. Hillmann G, et al. 195
Induction of COX-2 expression by mechanical tension force in human periodontal ligament cells. Shimizu N, et al. 670
A new approach in restorative treatment of external root resorption. A case report. Dumfahrt H, et al. 941
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
Rapid progression of bone loss in HIV-associated necrotizing ulcerative stomatitis. Patton LL, et al. 710

BONE LOSS/therapy
Periodontal surgery of vertical bony defects with or without synthetic bioabsorbable barriers. 12-month results. Eickholz P, et al. 1210
The use of autogenous periosteal grafts as barriers for the treatment of intrabony defects in humans. Kwan SK, et al. 1203

BONE MATRIX
Effect of allogenic freeze-dried demineralized bone matrix on guided tissue regeneration in dogs. Caplanis N, et al. 851
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. Yukna RA, et al. 655

BONE REGENERATION
Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation is dependent on donor age but not gender. Schwartz Z, et al. 470
An assessment of the osteoinductive potential of commercial demineralized freeze-dried bone in the murine thigh muscle implantation model. Garraway R, et al. 1325
A combined approach for treatment of developmental groove associated periodontal defect. A case report. Andreana S. 601
Comparison of bioactive glass synthetic bone graft particles and open debridement in the treatment of human periodontal defects. A clinical study. Froum SJ, et al. 698
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
Effects of bioabsorbable and non-resorbable barrier membranes on bone augmentation in rabbit calvaria. Ito K, et al. 1229
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
Effects of *Porphyromonas gingivalis* 2561 extracts on osteogenic and osteoclastic cell function in co-culture. Loomer PM, et al. 1263
Evaluation of a diphenylphosphorylazide-crosslinked collagen membrane for guided bone regeneration in mandibular defects in rats. Zahedi S, et al. 1238
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
Hydroxyapatite cement implant for regeneration of periodontal osseous defects in humans. Brown GD, et al. 146
Isolation of human osteoblast-like cells and in vitro amplification for tissue engineering. Malekzadeh R, et al. 1256
Long-term maintenance of alveolar bone gain after im-

plantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. Flemmig TF, et al. 47
Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. Margolin MD, et al. 911
Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26
Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. Lekovic V, et al. 1044
A prospective clinical trial of endosseous screw-shaped implants placed at the time of tooth extraction without augmentation. Becker BE, et al. 920
Protein extracts of dentin affect proliferation and differentiation of osteoprogenitor cells in vitro. Takata T, et al. 1247
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
Treatment of intrabony defects by different surgical procedures. A literature review. Laurell L, et al. 303
Uncontrolled diabetes mellitus hinders bone formation around titanium implants in rat tibiae. A light and fluorescence microscopy, and image processing study. Takeshita F, et al. 314

BONE MINERALIZATION
Protein extracts of dentin affect proliferation and differentiation of osteoprogenitor cells in vitro. Takata T, et al. 1247

BONE REMODELING
Protein extracts of dentin affect proliferation and differentiation of osteoprogenitor cells in vitro. Takata T, et al. 1247

BROMODEOXYURIDINE/therapeutic use
Immunocytochemical discrimination between early and late S phase: a new approach to the study of gingival epitheliumm proliferation in rats. Breschi L, et al. 84

C

CALCIUM PHOSPHATES
Hydroxyapatite cement implant for regeneration of periodontal osseous defects in humans. Brown GD, et al. 146

CALCIUM SULFATE
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
Periodontal repair in intrabony defects treated with a calcium sulfate implant and calcium sulfate barrier. Kim C-K, et al. 1317

CALPROTECTIN
Calprotectin and lactoferrin levels in the gingival crevicular fluid. Miyasaki KT, et al. 879

CAPITATION FEES
Dental insurance and the periodontal patient. Zacklin SJ. 261

CAPROLACTAM/therapeutic use
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54

CATECHOLAMINES
Urinary catecholamine levels and gingivitis in children. Vanderas AP, et al. 554

CATHEPSINS
An immunocytochemical study for lysosomal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. Ayukawa Y, et al. 62

CD40
Increased presence of interleukin-6 (IL-6) and IL-8 secreting fibroblast subpopulations in adult periodontitis. Dongari-Bagtzoglou AI, et al. 899

CELL ACTIVITY
Protein extracts of dentin affect proliferation and differentiation of osteoprogenitor cells in vitro. Takata T, et al. 1247

CELL ADHESION
Areca nut extract inhibits growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. Chang M-C, et al. 1092
Neutrophil migration into the gingival sulcus is associated with transepithelial gradients of interleukin-8 and ICAM-1. Tonetti MS, et al. 1139

CELL ATTACHMENT PROTEIN
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-Month results. Yukna RA, et al. 655

CELL CYCLE PROTEINS
Protein extracts of dentin affect proliferation and differentiation of osteoprogenitor cells in vitro. Takata T, et al. 1247

CELL DIFFERENTIATION
Recombinant human osteogenic protein-1 (OP-1) stimulates periodontal wound healing in Class III furcation defects. Giannobile WV, et al. 129

CELL DIVISION
Areca nut extract inhibits growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. Chang M-C, et al. 1092

CELL GROWTH INHIBITION
Protein extracts of dentin affect proliferation and differentiation of osteoprogenitor cells in vitro. Takata T, et al. 1247

CELL MOVEMENT
Interleukin-1 and tumor necrosis factor antagonists inhibit the progression of inflammatory cell infiltration toward alveolar bone experimental periodontitis. Graves DT, et al. 1419

CELL SEPARATION
Isolation of human osteoblast-like cells and in vitro amplification for tissue engineering. Malekzadeh R, et al. 1256

CELLS, INFLAMMATORY
Inflammatory cell population and bacterial contamination of membranes used for guided tissue regenerative procedures. Yoshinari N, et al. 460
CELLULOSE/therapeutic use
Clinical comparison of cellulose and expanded polytetrafluoroethylene membranes in the treatment of Class II furcations in mandibular molars with 6-month re-entry. Dos Anjos B, et al. 454
CEMENTUM
Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26
CERAMICS
Isolation of human osteoblast-like cells and in vitro amplification for tissue engineering. Malekzadeh R, et al. 1256
CERAMICS/therapeutic use
A new approach in restorative treatment of external root resorption. A case report. Dumfahrt H, et al. 941
CHEMOTAXIS
Cytoskeletal actin reorganization in neutrophils from patients with localized juvenile peridontitis. Champagne CM, et al. 209
The response of periodontal ligament cells to fibronectin. Kapila YL, et al. 1008
CHILDREN
The relationship of dental calculus to caries, gingivitis, and selected salivary factors in 11- to 13-year-old children in Chiang Mai, Thailand. Pattanaporn K, et al. 955
Urinary catecholamine levels and gingivitis in children. Vanderas AP, et al. 554
CHLORHEXIDINE
In vitro studies on the effect of cleaning methods on different implant surfaces. Augthun M, et al. 857
CHLORHEXIDINE/therapeutic use
Adjunctive use of a subgingival controlled-release chlorhexidine chip reduces probing depth and improves attachment level compared with scaling and root planing alone. Jeffcoat MK, et al. 989
The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis patients. A pilot study. Quirynen M, et al. 374
CHORISTOMA
Gingival salivary gland choristoma. A case report. Ledesma-Montes C, et al. 1164
CITRIC ACID/therapeutic use
A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. Harris RJ. 1426
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
CLARIFICATION (Bader G, et al. 729) 1181
CLEANSING AGENTS
In vitro studies on the effect of cleaning methods on different implant surfaces. Augthun M, et al. 857
CLINICAL RESEARCH
Effects of metronidazole plus amoxicillin in progressive untreated adult periodontitis: results of a single 1-week course after 2 and 4 months. López NJ, et al. 1291
Subpedicle connective tissue graft versus guided tissue regeneration with bioabsorbable membrane in the treatment of human gingival recession defects. Trombelli L, et al. 1271
CLINICAL TRIALS
Clinical and microbiological evaluation of a bioabsorbable and a nonresorbable barrier membrane in the treatment of periodontal intraosseous lesions. MacDonald ES, et al. 445
Equivalence and superiority testing in regeneration clinical trials. Gunsolley JC, et al. 521
Equivalence in periodontal trials: a description for the clinician. Duke SP, et al. 650
Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study. Lekovic V, et al. 1050
Guest editorial. Equivalence, superiority, and negative clinical trials. Gunsolley J. 608
Periodontal repair in intrabony defects treated with a calcium sulfate implant and calcium sulfate barrier. Kim C-K, et al. 1317
CLINICAL TRIALS, CONTROLLED
Adjunctive use of a subgingival controlled-release chlorhexidine chip reduces probing depth and improves attachment level compared with scaling and root planing alone. Jeffcoat MK, et al. 989
Clinical and microbiologic effects of adjunctive antibiotics in treatment of localized juvenile periodontitis. A controlled clinical trial. Tinoco EMB, et al. 1355
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
CLINICAL TRIALS, RANDOMIZED
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
Retention, antomicrobial activity, and clinical outcomes following use of a bioerodible tetracycline gel in moderate to deep periodontal pockets. Needleman IG, et al. 578
COLLAGEN
Autocrine transforming growth factor β stimulation of extracellular matrix production by fibroblasts from fibrotic human gingiva. Tipton DA, et al. 609
The expression of collagen I and XII mRNAs in *Por-*

phyromonas gingivalis-induced periodontitis in rats: the effect of doxycycline and chemically modified tetracycline. Karimbux NY, et al. 34
Histology near periodontitis osteoclasts. Uden CE, et al. 363
COLLAGEN/physiopathology
Histopathological investigation of gingival tissue from patients with rapidly progressive periodontitis. Hillmann G, et al. 195
COLLAGEN/therapeutic use
Evaluation of a diphenylphosphorylazide-crosslinked collagen membrane for guided bone regeneration in mandibular defects in rats. Zahedi S, et al. 1238
Guided tissue regeneration with bioabsorbable and expanded polytetrafluoroethylene barrier membranes in the treatment of naturally occurring periodontal defects in dogs. Elharar F, et al. 1218
Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. Margolin MD, et al. 911
A 2-year clinical evaluation of a diphenylphosphorylazide-cross-linked collagen membrane for the treatment of buccal gingival recession. Zahedi S, et al. 975
COMPARISON STUDIES
Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
Clinical comparison of cellulose and expanded polytetrafluoroethylene membranes in the treatment of Class II furcations in mandibular molars with 6-month re-entry. Dos Anjos B, et al. 454
Clinical evaluation of bioactive glass in the treatment of periodontal osseous defects in humans. Lovelace TB, et al. 1027
Clinical evaluation of electronic and manual constant force probes. Khocht A, et al. 19
Clinical evaluation of systemic doxycycline and ibuprofen administration as an adjunctive treatment for adult periodontitis. Ng VW-K, et al. 772
The effects of a single course of a calculus-softening scaling and root planing gel. A scanning electron microscopic study. Nagy RJ, et al. 806
Effects of topical metronidazole and tetracycline in treatment of adult periodontitis. Lie T, et al. 819
Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study. Lekovic V, et al. 1050
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
Guided tissue regeneration with bioabsorbable and expanded polytetrafluoroethylene barrier membranes in the treatment of naturally occurring periodontal defects in dogs. Elharar F, et al. 1218
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54
Hollow implants retrieved for fracture: a light and scanning electron microscope analysis of 4 cases. Piattelli A, et al. 185
Local metronidazole application in maintenance patients. Clinical and microbiological evaluation. Rudhart A, et al. 1148
Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. Margolin MD, et al. 911
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-Month results. Yukna RA, et al. 655
The pharmacokinetic profile of a biodegradable controlled-release delivery system containing doxycycline compared to systemically delivered doxycycline in gingival crevicular fluid, saliva, and serum. Stoller NH, et al. 1085
The role of local drug delivery in the management of periodontal diseases: a comprehensive review. Greenstein G, et al. 507
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
COMPOSITE RESINS
The influence of direct composite additions for the correction of tooth form and/or position on periodontal health. A retrospective study. Peumans M, et al. 422
CONNECTIVE TISSUE
The expression of collagen I and XII mRNAs in *Porphyromonas gingivalis*-induced periodontitis in rats: the effect of doxycycline and chemically modified tetracycline. Karimbux NY, et al. 34
Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study. Lekovic V, et al. 1050
CONNECTIVE TISSUE/surgery
Root coverage with a connective tissue with partial thickness double pedicle graft and an acellular dermal matrix graft: a clinical and histological evaluation of a case report. Harris RJ. 1305
Subpedicle connective tissue graft versus guided tissue regeneration with bioabsorbable membrane in the treatment of human gingival recession defects. Trombelli L, et al. 1271
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
Treatment of a previously placed autogenous masticatory mucosa graft (free gingival graft). A case report. Harris RJ. 717
COST-BENEFIT ANALYSIS
Economic models to help periodontists evaluate their

practices: how to analyze a practice to assess the potential impact of managed care contracts. Nash KD, et al. 241
CREATINE KINEASE
Analysis of gingival crevicular fluid intracytoplasmic enzyme activity in patients with adult periodontitis and rapidly progressive periodontitis. A longitudinal study model with periodontal treatment. Atici K, et al. 1155
CROSSLINKING
Evaluation of a diphenylphosphorylazide-crosslinked collagen membrane for guided bone regeneration in mandibular defects in rats. Zahedi S, et al. 1238
CROWNS/instrumentation
Effects of repeated hand instrumentation on the marginal portion of a cast gold crown. Yagi H, et al. 41
CURETTAGE
In vitro studies on the effect of cleaning methods on different implant surfaces. Augthun M, et al. 857
CYCLOOXYGENASE
Induction of COX-2 expression by mechanical tension force in human periodontal ligament cells. Shimizu N, et al. 670
CYCLOSPORIN A/adverse effects
Analysis of peripheral blood leukcytes in patients with cyclosporine A-induced gingival hyperplasia. Cebeci I, et al. 1435
Crevicular fluid interleukin-lβ, tumor necrosis factor-α, and interleukin-6 levels in renal transplant patients receiving cyclosporine A. Attila G, et al. 784
Reduction of cyclosporine-induced gingival overgrowth following a change to tacrolimus. A case history involving a liver transplant patient. Bader G, et al. 729; clarification: 1181
Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. Pilloni A, et al. 791
CYTOKINES
The correlation of gingival crevicular fluid interleukin-8 levels and periodontal status in localized juvenile periodontitis. Ozmeric N, et al. 1299
Crevicular fluid interleukin-lβ, tumor necrosis factor-α, and interleukin-6 levels in renal transplant patients receiving cyclosporine A. Attila G, et al. 784
Cytokine profiles of lesional and splenic T cells in *Porphyromonas gingivalis* infection in a murine model. Gemmell E, et al. 1131
Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin 1-beta in a rat model. Doxey DL, et al. 113
Increased presence of interleukin-6 (IL-6) and IL-8 secreting fibroblast subpopulations in adult periodontitis. Dongari-Bagtzoglou AI, et al. 899
Neutrophil migration into the gingival sulcus is associated with transepithelial gradients of interleukin-8 and ICAM-1. Tonetti MS, et al. 1139
The relationship between concentrations of proinflammatory cytokines with gingiva and the adjacent sulcular depth. McGee JM, et al. 865
Tumor necrosis factor alpha production by oral leukocytes: influence of tumor necrosis factor genotype. Galbraith GMP, et al. 428

D

DECISION MAKING
Concepts of quality and the provision of periodontal care: a survey. Marcus M, et al. 228
DELAYED ACTION PREPARATIONS
Adjunctive use of a subgingival controlled-release chlorhexidine chip reduces probing depth and improves attachment level compared with scaling and root planing alone. Jeffcoat MK, et al. 989
DENTAL CALCULUS/epidemiology
A comparison of the site-specificity of supragingival and subgingival calculus deposition. Corbett TL, et al. 1
The relationship of dental calculus to caries, gingivitis, and selected salivary factors in 11- to 13-year-old children in Chiang Mai, Thailand. Pattanaporn K, et al. 955
DENTAL CALCULUS/prevention and control
Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. Fujii T, et al. 1283
DENTAL CALCULUS/therapy
The effects of a single course of a calculus-softening scaling and root planing gel. A scanning electron microscopic study. Nagy RJ, et al. 806
DENTAL CALCULUS INDEX
A comparison of the site-specificity of supragingival and subgingival calculus deposition. Corbett TL, et al. 1
DENTAL CARIES/epidemiology
The relationship of dental calculus to caries, gingivitis, and selected salivary factors in 11- to 13-year-old children in Chiang Mai, Thailand. Pattanaporn K, et al. 955
DENTAL CEMENTS
Hydroxyapatite cement implant for regeneration of periodontal osseous defects in humans. Brown GD, et al. 146
DENTAL CEMENTUM
Nature and attachment of cementum formed under guided tissue conditions in human teeth. An electron microscopic study. Luder HU, et al. 889
Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. Fujii T, et al. 1283
DENTAL IMPLANT REMOVAL
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
DENTAL IMPLANTATION
The application of deproteinized bovine bone mineral for ridge preservation prior to implantation. Clinical and histological observations in a case report. Artzi Z, et al. 1062
A histological study on tissue responses to titanium im-

plantation in rat maxilla: the process of epithelial regeneration and bone reaction. Fujii N, et al. 485
Immediate implant placement: a procedure without incisions. Schwartz-Arad D, et al. 743
Immediate placement of an endosseous root-form implant in an HIV-positive patient: report of a case. Rajnay ZW, et al. 1167
Sinus floor augmentation with simultaneous implant placement in the severely atrophic maxilla. Peleg M, et al. 1397
DENTAL IMPLANTS
Changes in peri-implant tissues subjected to orthodontic forces and ligature breakdown in monkeys. Hürzeler MB, et al. 396
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
Guided bone regeneration utilizing expanded polytetrafluoroethylene membranes in combination with submerged and nonsubmerged dental implants in beagle dogs. Fiorellini JP, et al. 528
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
Immediate loading of titanium plasma-sprayed implants: an histologic analysis in monkeys. Piattelli A, et al. 321
An immunocytochemical study for lysosomal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. Ayukawa Y, et al. 62
In vitro studies on the effect of cleaning methods on different implant surfaces. Augthun M, et al. 857
Long-term maintenance of alveolar bone gain after implantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. Flemmig TF, et al. 47
Neutrophil response and microbiological findings around teeth and dental implants. Hultin M, et al. 1413
Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26
A prospective clinical trial of endosseous screw-shaped implants placed at the time of tooth extraction without augmentation. Becker BE, et al. 920
Report of the American Academy of Periodontology's Workshop on the Design and Conduct of Clinical Trials for Endosseous Dental Implants. 280
Uncontrolled diabetes mellitus hinders bone formation around titanium implants in rat tibiae. A light and fluorescence microscopy, and image processing study. Takeshita F, et al. 314
DENTAL IMPLANTS/adverse effects
Histologic observations on 230 retrieved dental implants: 8 years' experience (1989-1996). Piattelli A, et al. 178
A histological study on tissue responses to titanium implantation in rat maxilla: the process of epithelial regeneration and bone reaction. Fujii N, et al. 485
DENTAL IMPLANTS, ENDOSSEOUS
Factors affecting implant mobility at placement and integration of mobile implants at uncovering. Orenstein IH, et al. 1404
DENTAL IMPLANTS, FAILURE
Histologic observations on 230 retrieved dental implants: 8 years' experience (1989-1996). Piattelli A, et al. 178
Hollow implants retrieved for fracture: a light and scanning electron microscope analysis of 4 cases. Piattelli A, et al. 185
DENTAL INSTRUMENTS
Working parameters of a magnetostrictive ultrasonic scaler influencing root substance removal in vitro. Flemmig TF, et al. 547
DENTAL INSTRUMENTS/adverse effects
Effects of repeated hand instrumentation on the marginal portion of a cast gold crown. Yagi H, et al. 41
DENTAL MODELS
The effect of different diagnostic thresholds on incidence of disease progression. Oringer RJ, et al. 872
A histological study on tissue responses to titanium implantation in rat maxilla: the process of epithelial regeneration and bone reaction. Fujii N, et al. 485
DENTAL OCCLUSION, TRAUMATIC/adverse effects
Gingival crevicular pH in experimental gingivitis and occlusal trauma in man. Kobayashi K, et al. 1036
DENTAL PAPILLA/anatomy and histology
A classification system for loss of papillary height. Nordland WP, et al. 1124
DENTAL PLAQUE/etiology
The influence of direct composite additions for the correction of tooth form and/or position on periodontal health. A retrospective study. Peumans M, et al. 422
DENTAL PLAQUE/microbiology
Association of oral spirochetes from periodontally healthy sites with development of gingivitis. Riviere GE, et al. 496
Early bacterial accumulation on guided tissue regeneration membrane materials. An in vivo study. Zucchelli G, et al. 1193
The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis patients. A pilot study. Quirynen M, et al. 374
Microbiological findings in prepubertal periodontitis. A case report. Dibart S, et al 1172
Subgingival microflora associated with nifedipine-induced gingival overgrowth. Nakou M, et al. 664
The utility of whole saliva to detect the oral presence of periodontopathic bacteria. Umeda M, et al. 828
DENTAL PLAQUE/pathology
Association of oral spirochetes from periodontally healthy sites with development of gingivitis. Riviere GE, et al. 496
DENTAL PLAQUE/prevention and control
Comparison of different approaches of interdental oral

hygiene: interdental brushes versus dental floss. Christou V, et al. 759
A method for determining patient oral care skills: the University of Mississippi Oral Hygiene Index. Silberman SL, et al. 1176
Neutrophil migration into the gingival sulcus is associated with transepithelial gradients of interleukin-8 and ICAM-1. Tonetti MS, et al. 1139
Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. Fujii T, et al. 1283
DENTAL PROPHYLAXIS/methods
Effects of repeated hand instrumentation on the marginal portion of a cast gold crown. Yagi H, et al. 41
DENTAL PULP
Pulp remains viable following vital amputation of the mesio-buccal root of the maxillary fourth premolar in dogs. Smith MM, et al. 798
DENTAL PULP DISEASES/complications
The influence of endodontic infection on periodontal status in mandibular molars. Jansson LE, et al. 1392
DENTAL PULP NECROSIS
Impact of endodontic conditions on marginal bone loss. Miyashita H, et al. 158
DENTAL RESTORATION, PERMANENT
The influence of direct composite additions for the correction of tooth form and/or position on periodontal health. A retrospective study. Peumans M, et al. 422
The treatment of Class III maxillary furcations using a resin-ionomer. A case report. Anderegg CR. 948
DENTIN
Protein extracts of dentin affect proliferation and differentiation of osteoprogenitor cells in vitro. Takata T, et al. 1247
Pulp remains viable following vital amputation of the mesio-buccal root of the maxillary fourth premolar in dogs. Smith MM, et al. 798
DENTIN, SECONDARY
Pulp remains viable following vital amputation of the mesio-buccal root of the maxillary fourth premolar in dogs. Smith MM, et al. 798
DENTISTS/manpower
Changing number and distribution of periodontists: a continuing imbalance - 1987-1995. Waldman HB. 439
DENTITION, MIXED
Microbiological findings in prepubertal periodontitis. A case report. Dibart S, et al 1172
DIABETES MELLITUS/complications
Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin 1-beta in a rat model. Doxey DL, et al. 113
Uncontrolled diabetes mellitus hinders bone formation around titanium implants in rat tibiae. A light and fluorescence microscopy, and image processing study. Takeshita F, et al. 314
DIABETES MELLITUS/epidemiology
Non-insulin dependent diabetes mellitus and alveolar bone loss progression over 2 years. Taylor GW, et al. 76
DIABETES MELLITUS, INSULIN-DEPENDENT
Periodontal findings in elderly patients with non-insulin dependent diabetes mellitus. Collin H-L, et al 962
Periodontal status and subgingival microbiota of insulin-dependent juvenile diabetics: a 3-year study. Sbordone L, et al. 120
DIABETES MELLITUS, NON-INSULIN DEPENDENT/epidemiology
Non-insulin dependent diabetes mellitus and alveolar bone loss progression over 2 years. Taylor GW, et al. 76
DISEASE MODELS, ANIMAL
The effect of root surface demineralization on bone morphogenetic protein-2-induced healing of rat periodontal fenestration defects. King GN, et al. 561
DISEASE PROGRESSION
Cervical root resorption associated with guided tissue regeneration: a case report. Blomlof L, et al. 392
The effect of different diagnostic thresholds on incidence of disease progression. Oringer RJ, et al. 872
Evaluating the burst hypothesis at a site-specific level using the lack-of-fit test. Hujoel PP, et al. 357
DISEASE TRANSMISSION
Blood contamination of the aerosols produced by in vivo use of ultrasonic scalers. Barnes JB, et al. 434
DOUBLE-BLIND STUDIES
Effects of ketorolac tromethamine mouthrinse (0.1%) on crevicular fluid prostaglandin E_2 concentrations in untreated chronic periodontitis. Preshaw PM, et al. 777
Effects of metronidazole plus amoxicillin in progressive untreated adult periodontitis: results of a single 1-week course after 2 and 4 months. López NJ, et al. 1291
The effects of a single course of a calculus-softening scaling and root planing gel. A scanning electron microscopic study. Nagy RJ, et al. 806
DOWN SYNDROME
Periodontal conditions and salivary immunoglobulins in individuals with Down syndrome. Barr-Agholme M, et al. 1119
DOXYCYCLINE/pharmacokinetics
The pharmacokinetic profile of a biodegradable controlled-release delivery system containing doxycycline compared to systemically delivered doxycycline in gingival crevicular fluid, saliva, and serum. Stoller NH, et al. 1085
DOXYCYCLINE/therapeutic use
Clinical evaluation of systemic doxycycline and ibuprofen administration as an adjunctive treatment for adult periodontitis. Ng VW-K, et al. 772
The expression of collagen I and XII mRNAs in *Porphyromonas gingivalis*-induced periodontitis in rats: the effect of doxycycline and chemically modified tetracycline. Karimbux NY, et al. 34
DRUG DELIVERY SYSTEMS
The pharmacokinetic profile of a biodegradable controlled-release delivery system containing doxycycline compared to systemically delivered doxycycline in gingival crevicular fluid, saliva, and serum. Stoller NH, et al. 1085

The role of local drug delivery in the management of periodontal diseases: a comprehensive review. Greenstein G, et al. 507
DRUG EVALUATION
The effects of a single course of a calculus-softening scaling and root planing gel. A scanning electron microscopic study. Nagy RJ, et al. 806

E

EDUCATION, DENTAL HEALTH
A method for determining patient oral care skills: the University of Mississippi Oral Hygiene Index. Silberman SL, et al. 1176
EDUCATION, PATIENT
A method for determining patient oral care skills: the University of Mississippi Oral Hygiene Index. Silberman SL, et al. 1176
ELASTASE
Neutrophil response and microbiological findings around teeth and dental implants. Hultin M, et al. 1413
ENDOCYTOSIS
An immunocytochemical study for lysosomal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. Ayukawa Y, et al. 62
EPIDERMAL GROWTH FACTOR
Elevated salivary EGF levels stimulated by periodontal surgery. Oxford GE, et al. 479
EPITHELIAL ATTACHMENT
Neutrophil migration into the gingival sulcus is associated with transepithelial gradients of interleukin-8 and ICAM-1. Tonetti MS, et al. 1139
EPITHELIAL CELLS
Gingival epithelial cells increase interleukin-8 secretion in response to *Actinobacillus actinomycetemcomitans* challenge. Huang GT-J. 1105
EPITHELIUM
Immunocytochemical discrimination between early and late S phase: a new approach to the study of gingival epitheliumm proliferation in rats. Breschi L, et al. 84
ERRATUM 102 (Pilatti et al. 1997;68:902); 1181 (Harris RJ. 536)
ESTHETICS, DENTAL
Managment of gingival vitiligo with the use of a tattoo technique. Center JM, et al. 724
Root coverage with a connective tissue with partial thickness double pedicle graft and an acellular dermal matrix graft: a clinical and histological evaluation of a case report. Harris RJ. 1305
Treatment of a previously placed autogenous masticatory mucosa graft (free gingival graft). A case report. Harris RJ. 717
A 2-year clinical evaluation of a diphenylphosphorylazide-cross-linked collagen membrane for the treatment of buccal gingival recession. Zahedi S, et al. 975
EXTRACELLULAR MATRIX
Autocrine transforming growth factor β stimulation of extracellular matrix production by fibroblasts from fibrotic human gingiva. Tipton DA, et al. 609
The response of periodontal ligament cells to fibronectin. Kapila YL, et al. 1008

F

FEE-FOR-SERVICE PLANS
Dental insurance and the periodontal patient. Zacklin SJ. 261
Legal considerations for periodontists in dealing with managed care organizations. Bierig JR. 254
FIBROBLASTS
Areca nut extract inhibits growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. Chang M-C, et al. 1092
Autocrine transforming growth factor β stimulation of extracellular matrix production by fibroblasts from fibrotic human gingiva. Tipton DA, et al. 609
An immunocytochemical study for lysosomal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. Ayukawa Y, et al. 62
Increased presence of interleukin-6 (IL-6) and IL-8 secreting fibroblast subpopulations in adult periodontitis. Dongari-Bagtzoglou AI, et al. 899
FIBROBLASTS/cytology
Fibroblast heterogeneity of signal transduction mechanisms to complement-C1q. Analyses of calcium mobilization, inositol phosphate accumulation, and protein kinases-C redistribution. Bordin S, et al. 642
FIBROMATOSIS, GINGIVAL
Autocrine transforming growth factor β stimulation of extracellular matrix production by fibroblasts from fibrotic human gingiva. Tipton DA, et al. 609
FIBRONECTIN
Autocrine transforming growth factor β stimulation of extracellular matrix production by fibroblasts from fibrotic human gingiva. Tipton DA, et al. 609
The response of periodontal ligament cells to fibronectin. Kapila YL, et al. 1008
FINANCIAL MANAGEMENT
Economic models to help periodontists evaluate their practices: how to analyze a practice to assess the potential impact of managed care contracts. Nash KD, et al. 241
FOLLOW-UP STUDIES
Effects of metronidazole plus amoxicillin in progressive untreated adult periodontitis: results of a single 1-week course after 2 and 4 months. López NJ, et al. 1291
Histologic observations on 230 retrieved dental implants: 8 years' experience (1989-1996). Piattelli A, et al. 178
Immediate placement of an endosseous root-form implant in an HIV-positive patient: report of a case. Rajnay ZW, et al. 1167
Multi-center clinical evaluation of combination anor-

ganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. Yukna RA, et al. 655
Non-insulin dependent diabetes mellitus and alveolar bone loss progression over 2 years. Taylor GW, et al. 76
Periodontal repair in intrabony defects treated with a calcium sulfate implant and calcium sulfate barrier. Kim C-K, et al. 1317
Periodontal status and subgingival microbiota of insulin-dependent juvenile diabetics: a 3-year study. Sbordone L, et al. 120
A prospective clinical trial of endosseous screw-shaped implants placed at the time of tooth extraction without augmentation. Becker BE, et al. 920

FORCE, MECHANICAL TENSION
Induction of COX-2 expression by mechanical tension force in human periodontal ligament cells. Shimizu N, et al. 670

FORECASTING
Association of oral spirochetes from periodontally healthy sites with development of gingivitis. Riviere GE, et al. 496

FRACTALS
A comparison of 2 patient populations using fractal analysis. Shrout MK, et al. 9

FURCATION/complications
The influence of endodontic infection on periodontal status in mandibular molars. Jansson LE, et al. 1392

FURCATION/diagnosis
Reproducibility and validity of the assessment of clinical furcation parameters as related to different probes. Eickholz P, et al. 328

FURCATION/epidemiology
Horizontal alveolar bone loss and vertical bone defects in an adult patient population. Persson RE, et al. 348

FURCATION/surgery
Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study. Lekovic V, et al. 1050
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54
Recombinant human osteogenic protein-1 (OP-1) stimulates periodontal wound healing in Class III furcation defects. Giannobile WV, et al. 129

FURCATION/therapy
Clinical comparison of cellulose and expanded polytetrafluoroethylene membranes in the treatment of Class II furcations in mandibular molars with 6-month re-entry. Dos Anjos B, et al. 454
Guided tissue regeneration in Class II furcation involved maxillary molars: a controlled study of 8 split-mouth cases. Avera JB, et al. 1020
The treatment of Class III maxillary furcations using a resin-ionomer. A case report. Anderegg CR. 948

G

GENOTYPE
Genotypic characterization of *Actinobacillus actinomycetemcomitans* isolated from periodontitis patients by arbitrarily primed polymerase chain reaction. He T, et al. 69
Tumor necrosis factor alpha production by oral leukocytes: influence of tumor necrosis factor genotype. Galbraith GMP, et al. 428

GINGIVA/abnormalities
Gingival salivary gland choristoma. A case report. Ledesma-Montes C, et al. 1164
Managment of gingival vitiligo with the use of a tattoo technique. Center JM, et al. 724

GINGIVA/anatomy and histology
Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin 1-beta in a rat model. Doxey DL, et al. 113
Fibroblast heterogeneity of signal transduction mechanisms to complement-C1q. Analyses of calcium mobilization, inositol phosphate accumulation, and protein kinases-C redistribution. Bordin S, et al. 642
Gingival epithelial cells increase interleukin-8 secretion in response to *Actinobacillus actinomycetemcomitans* challenge. Huang GT-J. 1105
The relationship between concentrations of proinflammatory cytokines with gingiva and the adjacent sulcular depth. McGee JM, et al. 865

GINGIVA/drug effects
Areca nut extract inhibits growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. Chang M-C, et al. 1092

GINGIVAL CREVICULAR FLUID
Analysis of gingival crevicular fluid intracytoplasmic enzyme activity in patients with adult periodontitis and rapidly progressive periodontitis. A longitudinal study model with periodontal treatment. Atici K, et al. 1155
Assocation of oxygen tension in human periodontal pockets with gingival inflammation. Tanaka M, et al. 1127
The correlation of gingival crevicular fluid interleukin-8 levels and periodontal status in localized juvenile periodontitis. Özmeric N, et al. 1299
Crevicular fluid interleukin-lβ, tumor necrosis factor-α, and interleukin-6 levels in renal transplant patients receiving cyclosporine A. Attila G, et al. 784
Neutrophil response and microbiological findings around teeth and dental implants. Hultin M, et al. 1413

GINGIVAL CREVICULAR FLUID/analysis
Calprotectin and lactoferrin levels in the gingival crevicular fluid. Miyasaki KT, et al. 879

GINGIVAL CREVICULAR FLUID/chemistry
Gingival crevicular pH in experimental gingivitis and occlusal trauma in man. Kobayashi K, et al. 1036

GINGIVAL HYPERPLASIA/etiology
Analysis of peripheral blood leukcytes in patients with

cyclosporine A-induced gingival hyperplasia. Cebeci I, et al. 1435
The clinical effects of nifedipine on periodontal status. Tavassoli S, et al. 108
Nifedipine-induced gingival overgrowth in rats: brief review and experimental study. Fu E, et al. 765
Reduction of cyclosporine-induced gingival overgrowth following a change to tacrolimus. A case history involving a liver transplant patient. Bader G, et al. 729
Subgingival microflora associated with nifedipine-induced gingival overgrowth. Nakou M, et al. 664
GINGIVAL HYPERPLASIA/pathogenesis
Crevicular fluid interleukin-lβ, tumor necrosis factor-α, and interleukin-6 levels in renal transplant patients receiving cyclosporine A. Attila G, et al. 784
GINGIVAL HYPERPLASIA/surgery
Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. Pilloni A, et al. 791
GINGIVAL HYPERPLASIA/therapy
Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. Pilloni A, et al. 791
GINGIVAL INDEX
The correlation of gingival crevicular fluid interleukin-8 levels and periodontal status in localized juvenile periodontitis. Özmeric N, et al. 1299
GINGIVAL RECESSION/etiology
The effect of smoking on individuals with minimal periodontal destruction. Gunsolley JC, et al. 165
GINGIVAL RECESSION/surgery
A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. Harris RJ. 1426
Histologic evaluation of new attachment utilizing a titanium-reinforced barrier membrane in a mucogingival recession defect. A case report. Parma-Benfenati S, et al. 834
Mucogingival versus guided tissue regeneration procedures in the treatment of deep recession type defects. Zucchelli G, et al. 138
Root coverage with a connective tissue with partial thickness double pedicle graft and an acellular dermal matrix graft: a clinical and histological evaluation of a case report. Harris RJ. 1305
Subpedicle connective tissue graft versus guided tissue regeneration with bioabsorbable membrane in the treatment of human gingival recession defects. Trombelli L, et al. 1271
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
Treatment of a previously placed autogenous masticatory mucosa graft (free gingival graft). A case report. Harris RJ. 717
A 2-year clinical evaluation of a diphenylphosphorylazide-cross-linked collagen membrane for the treatment of buccal gingival recession. Zahedi S, et al. 975
GINGIVAL RECESSION/therapy
Mucogingival versus guided tissue regeneration procedures in the treatment of deep recession type defects. Zucchelli G, et al. 138
A 2-year clinical evaluation of a diphenylphosphorylazide-cross-linked collagen membrane for the treatment of buccal gingival recession. Zahedi S, et al. 975
GINGIVAL REGENERATION
Immunocytochemical discrimination between early and late S phase: a new approach to the study of gingival epitheliumm proliferation in rats. Breschi L, et al. 84
GINGIVITIS
Assocation of oxygen tension in human periodontal pockets with gingival inflammation. Tanaka M, et al. 1127
GINGIVITIS/diagnosis
A comparison of 2 patient populations using fractal analysis. Shrout MK, et al. 9
GINGIVITIS/epidemiology
The relationship of dental calculus to caries, gingivitis, and selected salivary factors in 11- to 13-year-old children in Chiang Mai, Thailand. Pattanaporn K, et al. 955
Urinary catecholamine levels and gingivitis in children. Vanderas AP, et al. 554
GINGIVITIS/etiology
The clinical effects of nifedipine on periodontal status. Tavassoli S, et al. 108
Gingival crevicular pH in experimental gingivitis and occlusal trauma in man. Kobayashi K, et al. 1036
The influence of direct composite additions for the correction of tooth form and/or position on periodontal health. A retrospective study. Peumans M, et al. 422
GINGIVITIS/microbiology
Association of oral spirochetes from periodontally healthy sites with development of gingivitis. Riviere GE, et al. 496
Periodontal status and subgingival microbiota of insulin-dependent juvenile diabetics: a 3-year study. Sbordone L, et al. 120
GINGIVITIS/pathogenesis
Association of oral spirochetes from periodontally healthy sites with development of gingivitis. Riviere GE, et al. 496
GINGIVITIS/prevention and control
Comparison of different approaches of interdental oral hygiene: interdental brushes versus dental floss. Christou V, et al. 759
GINGIVITIS/therapy
Comparison of different approaches of interdental oral hygiene: interdental brushes versus dental floss. Christou V, et al. 759
GINGIVITIS, DESQUAMATIVE/diagnosis
Analysis of desquamative gingivitis using direct immunofluorescence in conjunction with histology. Yih W-Y, et al. 678

GINGIVITIS, NECROTIZING ULCERATIVE
Rapid progression of bone loss in HIV-associated necrotizing ulcerative stomatitis. Patton LL, et al. 710
GLASS, BIOACTIVE
Clinical evaluation of bioactive glass in the treatment of periodontal osseous defects in humans. Lovelace TB, et al. 1027
Comparison of bioactive glass synthetic bone graft particles and open debridement in the treatment of human periodontal defects. A clinical study. Froum SJ, et al. 698
Evaluation of a bioactive glass alloplast in treating periodontal intrabony defects. Ong MMA, et al. 1346
GLASS IONOMER CEMENTS
Repair of a root resorption lesion: a case report. White C, Jr. 596
GLYCOLIDE/LACTIDE ACID POLYESTER
Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. Lekovic V, et al. 1044
GRAFTS, BONE
Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation is dependent on donor age but not gender. Schwartz Z, et al. 470
Addition of human recombinant bone morphogenetic protein-2 to inactive commercial human demineralized freeze-dried bone allograft makes an effective composite bone inductive implant material. Schwartz Z, et al. 1337
The application of deproteinized bovine bone mineral for ridge preservation prior to implantation. Clinical and histological observations in a case report. Artzi Z, et al. 1062
An assessment of the osteoinductive potential of commercial demineralized freeze-dried bone in the murine thigh muscle implantation model. Garraway R, et al. 1325
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
Clinical evaluation of bioactive glass in the treatment of periodontal osseous defects in humans. Lovelace TB, et al. 1027
Comparison of bioactive glass synthetic bone graft particles and open debridement in the treatment of human periodontal defects. A clinical study. Froum SJ, et al. 698
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
Evaluation of a bioactive glass alloplast in treating periodontal intrabony defects. Ong MMA, et al. 1346
Immediate implant placement: a procedure without incisions. Schwartz-Arad D, et al. 743
Long-term maintenance of alveolar bone gain after implantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. Flemmig TF, et al. 47
Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26
Sinus floor augmentation with simultaneous implant placement in the severely atrophic maxilla. Peleg M, et al. 1397
GRAFTS, CONNECTIVE TISSUE
A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. Harris RJ. 1426
GRAFTS, GINGIVAL
Mucogingival versus guided tissue regeneration procedures in the treatment of deep recession type defects. Zucchelli G, et al. 138
Root coverage with a connective tissue with partial thickness double pedicle graft and an acellular dermal matrix graft: a clinical and histological evaluation of a case report. Harris RJ. 1305
Subpedicle connective tissue graft versus guided tissue regeneration with bioabsorbable membrane in the treatment of human gingival recession defects. Trombelli L, et al. 1271
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
Treatment of a previously placed autogenous masticatory mucosa graft (free gingival graft). A case report. Harris RJ. 717
The use of autogenous periosteal grafts as barriers for the treatment of intrabony defects in humans. Kwan SK, et al. 1203
GRANULOCYTE-MACROPHAGE COLONY-STIMULATING FACTOR
Early-onset and adult periodontitis associated with abnormal cytokine production by activated T lymphocytes. Sigusch B, et al. 1098
GROWTH FACTORS
Autocrine transforming growth factor β stimulation of extracellular matrix production by fibroblasts from fibrotic human gingiva. Tipton DA, et al. 609
Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin 1-beta in a rat model. Doxey DL, et al. 113
Elevated salivary EGF levels stimulated by periodontal surgery. Oxford GE, et al. 479
Recombinant human osteogenic protein-1 (OP-1) stimulates periodontal wound healing in Class III furcation defects. Giannobile WV, et al. 129

GUIDED BONE REGENERATION
Effect of allogenic freeze-dried demineralized bone matrix on guided tissue regeneration in dogs. Caplanis N, et al. 851
GUIDED TISSUE REGENERATION
Cervical root resorption associated with guided tissue regeneration: a case report. Blömlof L, et al. 392
Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
Clinical comparison of cellulose and expanded polytetrafluoroethylene membranes in the treatment of Class II furcations in mandibular molars with 6-month re-entry. Dos Anjos B, et al. 454
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
A combined approach for treatment of developmental groove associated periodontal defect. A case report. Andreana S. 601
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. Harris RJ. 1426
Early bacterial accumulation on guided tissue regeneration membrane materials. An in vivo study. Zucchelli G, et al. 1193
Effects of expanded polytetrafluoroethylene and polylactic acid barriers on healthy sites. Trejo PM, et al. 14
Evaluation of a diphenylphosphorylazide-crosslinked collagen membrane for guided bone regeneration in mandibular defects in rats. Zahedi S, et al. 1238
Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study. Lekovic V, et al. 1050
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
Guided bone regeneration utilizing expanded polytetrafluoroethylene membranes in combination with submerged and nonsubmerged dental implants in beagle dogs. Fiorellini JP, et al. 528
Guided tissue regeneration in Class II furcation involved maxillary molars: a controlled study of 8 split-mouth cases. Avera JB, et al. 1020
Guided tissue regeneration with bioabsorbable and expanded polytetrafluoroethylene barrier membranes in the treatment of naturally occurring periodontal defects in dogs. Elharar F, et al. 1218
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54
Histologic evaluation of new attachment utilizing a titanium-reinforced barrier membrane in a mucogingival recession defect. A case report. Parma-Benfenati S, et al. 834
Immediate placement of an endosseous root-form implant in an HIV-positive patient: report of a case. Rajnay ZW, et al. 1167
Inflammatory cell population and bacterial contamination of membranes used for guided tissue regenerative procedures. Yoshinari N, et al. 460
Mucogingival versus guided tissue regeneration procedures in the treatment of deep recession type defects. Zucchelli G, et al. 138
Nature and attachment of cementum formed under guided tissue conditions in human teeth. An electron microscopic study. Luder HU, et al. 889
Periodontal surgery of vertical bony defects with or without synthetic bioabsorbable barriers. 12-month results. Eickholz P, et al. 1210
Preservation of alveolar bone in extraction sockets using bioresorbablle membranes. Lekovic V, et al. 1044
Subpedicle connective tissue graft versus guided tissue regeneration with bioabsorbable membrane in the treatment of human gingival recession defects. Trombelli L, et al. 1271
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
Treatment of intrabony defects by different surgical procedures. A literature review. Laurell L, et al. 303
A 2-year clinical evaluation of a diphenylphosphorylazide-cross-linked collagen membrane for the treatment of buccal gingival recession. Zahedi S, et al. 975
The use of autogenous periosteal grafts as barriers for the treatment of intrabony defects in humans. Kwan SK, et al. 1203

H

HALITOSIS/prevention and control
The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis patients. A pilot study. Quirynen M, et al. 374
HEALTH CARE REFORM
Changing health care environment: implications for periodontics. Task Force report. 227
HEALTH MAINTENANCE ORGANIZATIONS
Legal considerations for periodontists in dealing with managed care organizations. Bierig JR. 254
HEALTH SERVICES ACCESSIBILITY

Concepts of quality and the provision of periodontal care: a survey. Marcus M, et al. 228
HEAT/adverse effects
Change in temperature of subjacent bone during soft tissue laser ablation. Spencer P, et al. 1278
Heat generation during ultrasonic instrumentation of dentin as affected by different irrigation methods. Nicoll BK, et al. 884
HEMOGLOBIN, OXYGEN SATURATION
Assocation of oxygen tension in human periodontal pockets with gingival inflammation. Tanaka M, et al. 1127
HEROIN DEPENDENCE
Carious lesions in the heroin addicted patient. A case report. Shen E-C, et al. 938
HIV INFECTION
Alveolar bone levels in AIDS and HIV seropositive patients and in control subjects. Persson RE, et al. 1056
Management of gingival vitiligo with the use of a tattoo technique. Center JM, et al. 724
Rapid progression of bone loss in HIV-associated necrotizing ulcerative stomatitis. Patton LL, et al. 710
HOME CARE
A method for determining patient oral care skills: the University of Mississippi Oral Hygiene Index. Silberman SL, et al. 1176
HYDROGEN ION CONCENTRATION/instrumentation
Gingival crevicular pH in experimental gingivitis and occlusal trauma in man. Kobayashi K, et al. 1036
HYDROGEN PEROXIDE/therapeutic use
Current understanding of the role of microscopic monitoring, baking soda, and hydrogen peroxide in the treatment of periodontal disease. Position paper. 951
HYDROXYAPATITE
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
HYDROXYAPATITE/therapeutic use
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
Factors affecting implant mobility at placement and integration of mobile implants at uncovering. Orenstein IH, et al. 1404
Hydroxyapatite cement implant for regeneration of periodontal osseous defects in humans. Brown GD, et al. 146
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-Month results. Yukna RA, et al. 655

I

IBUPROFEN/therapeutic use
Clinical evaluation of systemic doxycycline and ibuprofen administration as an adjunctive treatment for adult periodontitis. Ng VW-K, et al. 772
IgG
The influence of smoking and race on adult periodontitis and serum IgG2 levels. Quinn SM, et al. 171
IMAGE ANALYSIS, COMPUTER-ASSISTED
Computer-assisted densitometric image analysis of digital subtraction images: in vivo error of the method and effect of thresholding. Bragger U, et al. 967
IMMUNIZATION
Immunization with *Porphyromonas gingivalis* cysteine protease: effects on experimental gingivitis and ligature-induced periodontitis in *Macaca fascicularis*. Moritz AJ, et al. 686
IMMUNOASSAY
Diagnostic utility of specific microbiological markers in periodontal disease. Eggert FM, et al. 1373
Periodontitis-associated marker bacteria in an urban North American patient population: application of a commercial immunoassay. Eggert FM, et al. 1382
IMMUNOCYTOCHEMISTRY
Immunocytochemical discrimination between early and late S phase: a new approach to the study of gingival epitheliumm proliferation in rats. Breschi L, et al. 84
An immunocytochemical study for lysosomal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. Ayukawa Y, et al. 62
IMMUNOFLUORESENCE
Analysis of desquamative gingivitis using direct immunofluorescence in conjunction with histology. Yih W-Y, et al. 678
IMMUNOGLOBULINS
Periodontal conditions and salivary immunoglobulins in individuals with Down syndrome. Barr-Agholme M, et al. 1119
IMMUNOHISTOCHEMISTRY
Analysis of desquamative gingivitis using direct immunofluorescence in conjunction with histology. Yih W-Y, et al. 678
IMMUNOSUPPRESSION
Reduction of cyclosporine-induced gingival overgrowth following a change to tacrolimus. A case history involving a liver transplant patient. Bader G, et al. 729; clarification: 1181
INFECTION CONTROL
Blood contamination of the aerosols produced by in vivo use of ultrasonic scalers. Barnes JB, et al. 434
INFLAMMATION
The relationship between concentrations of proinflammatory cytokines with gingiva and the adjacent sulcular depth. McGee JM, et al. 865
Inflammatory cervical root resorption following segmental orthognathic surgery. A case report. Hokett SD, et al. 219
INFLAMMATION/etiology
Histologic observations on 230 retrieved dental implants: 8 years' experience (1989-1996). Piattelli A, et al. 178
INFLAMMATION/physiopathology

Histopathological investigation of gingival tissue from patients with rapidly progressive periodontitis. Hillmann G, et al. 195
IN MEMORIAM. 1444
INSURANCE, DENTAL
Dental insurance and the periodontal patient. Zacklin SJ. 261
Legal considerations for periodontists in dealing with managed care organizations. Bierig JR. 254
INTEGRINS
The response of periodontal ligament cells to fibronectin. Kapila YL, et al. 1008
INTERLEUKIN-1
Crevicular fluid interleukin-lβ, tumor necrosis factor-α, and interleukin-6 levels in renal transplant patients receiving cyclosporine A. Attila G, et al. 784
Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin 1-beta in a rat model. Doxey DL, et al. 113
Interleukin-1 and tumor necrosis factor antagonists inhibit the progression of inflammatory cell infiltration toward alveolar bone experimental periodontitis. Graves DT, et al. 1419
The relationship between concentrations of proinflammatory cytokines with gingiva and the adjacent sulcular depth. McGee JM, et al. 865
INTERLEUKIN-6
Crevicular fluid interleukin-lβ, tumor necrosis factor-α, and interleukin-6 levels in renal transplant patients receiving cyclosporine A. Attila G, et al. 784
Increased presence of interleukin-6 (IL-6) and IL-8 secreting fibroblast subpopulations in adult periodontitis. Dongari-Bagtzoglou AI, et al. 899
The relationship between concentrations of proinflammatory cytokines with gingiva and the adjacent sulcular depth. McGee JM, et al. 865
INTERLEUKIN-8
The correlation of gingival crevicular fluid interleukin-8 levels and periodontal status in localized juvenile periodontitis. Özmeric N, et al. 1299
Gingival epithelial cells increase interleukin-8 secretion in response to *Actinobacillus actinomycetemcomitans* challenge. Huang GT-J. 1105
Increased presence of interleukin-6 (IL-6) and IL-8 secreting fibroblast subpopulations in adult periodontitis. Dongari-Bagtzoglou AI, et al. 899
Neutrophil migration into the gingival sulcus is associated with transepithelial gradients of interleukin-8 and ICAM-1. Tonetti MS, et al. 1139
The relationship between concentrations of proinflammatory cytokines with gingiva and the adjacent sulcular depth. McGee JM, et al. 865
IRRITANTS
Irritant contact stomatitis: a review of the condition. Davis CC, et al. 620

J

JAW, EDENTULOUS
Neutrophil response and microbiological findings around teeth and dental implants. Hultin M, et al. 1413
JAW, EDENTULOUS, PARTIAL
Neutrophil response and microbiological findings around teeth and dental implants. Hultin M, et al. 1413
JOURNAL OF PERIODONTOLOGY
Instructions to authors. 103; 733

K

KETOROLAC/therapeutic use
Effects of ketorolac tromethamine mouthrinse (0.1%) on crevicular fluid prostaglandin E_2 concentrations in untreated chronic periodontitis. Preshaw PM, et al. 777
KILLER CELLS, NATURAL
Analysis of peripheral blood leukcytes in patients with cyclosporine-A induced gingival hyperplasia. Cebeci I, et al. 1435

L

LACTATE DEHYDROGENASE
Analysis of gingival crevicular fluid intracytoplasmic enzyme activity in patients with adult periodontitis and rapidly progressive periodontitis. A longitudinal study model with periodontal treatment. Atici K, et al. 1155
LACTOFERRIN
Calprotectin and lactoferrin levels in the gingival crevicular fluid. Miyasaki KT, et al. 879
LASERS/adverse effects
Change in temperature of subjacent bone during soft tissue laser ablation. Spencer P, et al. 1278
Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. Fujii T, et al. 1283
LEUKOCYTES
Analysis of peripheral blood leukcytes in patients with cyclosporine-A induced gingival hyperplasia. Cebeci I, et al. 1435
LEUKOTOXIN PROMOTER STRUCTURE
Relationship between conversion of localized juvenile periodontitis-susceptible children from health to disease and *Actinobacillus actinomycetemcomitans* leukotoxin promotor structure. Bueno LC, et al. 998
LICHEN PLANUS/diagnosis
Analysis of desquamative gingivitis using direct immunofluorescence in conjunction with histology. Yih W-Y, et al. 678
LONGITUDINAL STUDIES
Analysis of gingival crevicular fluid intracytoplasmic enzyme activity in patients with adult periodontitis and rapidly progressive periodontitis. A longitudinal study model with periodontal treatment. Atici K, et al. 1155
LYMPHOCYTES
Analysis of peripheral blood leukcytes in patients with

cyclosporine-A induced gingival hyperplasia. Cebeci I, et al. 1435
Histology near periodontitis osteoclasts. Uden CE, et al. 363
LYMPHOCYTES, T
Cytokine profiles of lesional and splenic T cells in *Porphyromonas gingivalis* infection in a murine model. Gemmell E, et al. 1131

M

MACROPHAGES
Histology near periodontitis osteoclasts. Uden CE, et al. 363
MANAGED CARE PROGRAMS
Dental insurance and the periodontal patient. Zacklin SJ. 261
Economic models to help periodontists evaluate their practices: how to analyze a practice to assess the potential impact of managed care contracts. Nash KD, et al. 241
Legal considerations for periodontists in dealing with managed care organizations. Bierig JR. 254
Periodontal diseases in the United States population. Oliver RC, et al. 269
MARKERS, MICROBIOLOGICAL
Diagnostic utility of specific microbiological markers in periodontal disease. Eggert FM, et al. 1373
Periodontitis-associated marker bacteria in an urban North American patient population: application of a commercial immunoassay. Eggert FM, et al. 1382
MAXILLA, ATROPHIC
Sinus floor augmentation with simultaneous implant placement in the severely atrophic maxilla. Peleg M, et al. 1397
MAXILLARY ANTRUM/surgery
Sinus floor augmentation with simultaneous implant placement in the severely atrophic maxilla. Peleg M, et al. 1397
MAXILLARY SINUS/surgery
Sinus floor augmentation with simultaneous implant placement in the severely atrophic maxilla. Peleg M, et al. 1397
MAXILLARY SINUS AUGMENTATION
Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. Margolin MD, et al. 911
MEMBRANES, ARTIFICIAL
Clinical and microbiological evaluation of a bioabsorbable and a nonresorbable barrier membrane in the treatment of periodontal intraosseous lesions. MacDonald ES, et al. 445
Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
Clinical comparison of cellulose and expanded polytetrafluoroethylene membranes in the treatment of Class II furcations in mandibular molars with 6-month re-entry. Dos Anjos B, et al. 454
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
Comparison of 2 regenerative procedures - Guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. Harris RJ. 1426
Early bacterial accumulation on guided tissue regeneration membrane materials. An in vivo study. Zucchelli G, et al. 1193
Effects of bioabsorbable and non-resorbable barrier membranes on bone augmentation in rabbit calvaria. Ito K, et al. 1229
Effects of expanded polytetrafluoroethylene and polylactic acid barriers on healthy sites. Trejo PM, et al. 14
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
Guided bone regeneration utilizing expanded polytetrafluoroethylene membranes in combination with submerged and nonsubmerged dental implants in beagle dogs. Fiorellini JP, et al. 528
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54
Inflammatory cell population and bacterial contamination of membranes used for guided tissue regenerative procedures. Yoshinari N, et al. 460
Mucogingival versus guided tissue regeneration procedures in the treatment of deep recession type defects. Zucchelli G, et al. 138
Periodontal surgery of vertical bony defects with or without synthetic bioabsorbable barriers. 12-month results. Eickholz P, et al. 1210
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
MEMBRANES, BARRIER
Clinical and microbiological evaluation of a bioabsorbable and a nonresorbable barrier membrane in the treatment of periodontal intraosseous lesions. MacDonald ES, et al. 445
Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
Clinical comparison of cellulose and expanded poly-

tetrafluoroethylene membranes in the treatment of Class II furcations in mandibular molars with 6-month re-entry. Dos Anjos B, et al. 454
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. Harris RJ. 1426
Early bacterial accumulation on guided tissue regeneration membrane materials. An in vivo study. Zucchelli G, et al. 1193
Effects of bioabsorbable and non-resorbable barrier membranes on bone augmentation in rabbit calvaria. Ito K, et al. 1229
Effects of expanded polytetrafluoroethylene and polylactic acid barriers on healthy sites. Trejo PM, et al. 14
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
Evaluation of a diphenylphosphorylazide-crosslinked collagen membrane for guided bone regeneration in mandibular defects in rats. Zahedi S, et al. 1238
Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study. Lekovic V, et al. 1050
Guided bone regeneration utilizing expanded polytetrafluoroethylene membranes in combination with submerged and nonsubmerged dental implants in beagle dogs. Fiorellini JP, et al. 528
Guided tissue regeneration with bioabsorbable and expanded polytetrafluoroethylene barrier membranes in the treatment of naturally occurring periodontal defects in dogs. Elharar F, et al. 1218
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54
Inflammatory cell population and bacterial contamination of membranes used for guided tissue regenerative procedures. Yoshinari N, et al. 460
Mucogingival versus guided tissue regeneration procedures in the treatment of deep recession type defects. Zucchelli G, et al. 138
Periodontal surgery of vertical bony defects with or without synthetic bioabsorbable barriers. 12-month results. Eickholz P, et al. 1210
Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. Lekovic V, et al. 1044
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
A 2-year clinical evaluation of a diphenylphosphorylazide-cross-linked collagen membrane for the treatment of buccal gingival recession. Zahedi S, et al. 975

META-ANALYSIS
Concepts of quality and the provision of periodontal care: a survey. Marcus M, et al. 228

METABOLIC CONTROL
Periodontal findings in elderly patients with non-insulin dependent diabetes mellitus. Collin H-L, et al 962

METRONIDAZOLE/therapeutic use
Clinical and microbiologic effects of adjunctive antibiotics in treatment of localized juvenile periodontitis. A controlled clinical trial. Tinoco EMB, et al. 1355
Effects of metronidazole plus amoxicillin in progressive untreated adult periodontitis: results of a single 1-week course after 2 and 4 months. López NJ, et al. 1291
Effects of topical metronidazole and tetracycline in treatment of adult periodontitis. Lie T, et al. 819
Evaluation of antimicrobial efficacy and release pattern of tetracycline and metronidazole using a local delivery system. Somayaji BV, et al. 409
Local metronidazole application in maintenance patients. Clinical and microbiological evaluation. Rudhart A, et al. 1148

MICROSCOPY, ELECTRON, SCANNING
Early bacterial accumulation on guided tissue regeneration membrane materials. An in vivo study. Zucchelli G, et al. 1193
Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. Fujii T, et al. 1283

MINOCYCLINE/therapeutic use
Subgingival distribution of periodontopathic bacteria in adult periodontitis and their susceptibility to minocycline-HCl. Hagiwara S, et al. 92

MOLAR
The treatment of Class III maxillary furcations using a resin-ionomer. A case report. Anderegg CR. 948

MONOCYTES
Analysis of peripheral blood leukcytes in patients with cyclosporine A-induced gingival hyperplasia. Cebeci I, et al. 1435

MOUTH MUCOSA
Irritant contact stomatitis: a review of the condition. Davis CC, et al. 620

MOUTH MUCOSA/surgery
Histologic evaluation of new attachment utilizing a titanium-reinforced barrier membrane in a mucogingival recession defect. A case report. Parma-Benfenati S, et al. 834

MOUTHWASHES/therapeutic use
Effects of ketorolac tromethamine mouthrinse (0.1%) on crevicular fluid prostaglandin E_2 concentrations in

untreated chronic periodontitis. Preshaw PM, et al. 777
MUCOUS MEMBRANE/cytology
Neutrophil migration into the gingival sulcus is associated with transepithelial gradients of interleukin-8 and ICAM-1. Tonetti MS, et al. 1139
MULTI-CENTER STUDIES
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-Month results. Yukna RA, et al. 655

N

NEUTROPHILS
Cytoskeletal actin reorganization in neutrophils from patients with localized juvenile peridontitis. Champagne CM, et al. 209
Neutrophil migration into the gingival sulcus is associated with transepithelial gradients of interleukin-8 and ICAM-1. Tonetti MS, et al. 1139
Neutrophil response and microbiological findings around teeth and dental implants. Hultin M, et al. 1413
Tumor necrosis factor alpha production by oral leukocytes: influence of tumor necrosis factor genotype. Galbraith GMP, et al. 428
NIFEDIPINE/adverse effects
The clinical effects of nifedipine on periodontal status. Tavassoli S, et al. 108
Nifedipine-induced gingival overgrowth in rats: brief review and experimental study. Fu E, et al. 765
Subgingival microflora associated with nifedipine-induced gingival overgrowth. Nakou M, et al. 664
Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. Pilloni A, et al. 791

O

OBITUARIES
Corn, Herman 1443
Grant, Daniel A. 840
Muhlemann, Hans R. 279
ORAL HYGIENE/instrumentation
In vitro studies on the effect of cleaning methods on different implant surfaces. Augthun M, et al. 857
ORAL HYGIENE/methods
Comparison of different approaches of interdental oral hygiene: interdental brushes versus dental floss. Christou V, et al. 759
In vitro studies on the effect of cleaning methods on different implant surfaces. Augthun M, et al. 857
ORAL HYGIENE INDEX
A method for determining patient oral care skills: the University of Mississippi Oral Hygiene Index. Silberman SL, et al. 1176
OSSEOINTEGRATION
Factors affecting implant mobility at placement and integration of mobile implants at uncovering. Orenstein IH, et al. 1404
Guided bone regeneration utilizing expanded polytetrafluoroethylene membranes in combination with submerged and nonsubmerged dental implants in beagle dogs. Fiorellini JP, et al. 528
OSTEOBLASTS
An immunocytochemical study for lysosomal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. Ayukawa Y, et al. 62
Isolation of human osteoblast-like cells and in vitro amplification for tissue engineering. Malekzadeh R, et al. 1256
OSTEOCLASTS
Effects of *Porphyromonas gingivalis* 2561 extracts on osteogenic and osteoclastic cell function in co-culture. Loomer PM, et al. 1263
Histology near periodontitis osteoclasts. Uden CE, et al. 363
OSTEOGENESIS
Addition of human recombinant bone morphogenetic protein-2 to inactive commercial human demineralized freeze-dried bone allograft makes an effective composite bone inductive implant material. Schwartz Z, et al. 1337
An assessment of the osteoinductive potential of commercial demineralized freeze-dried bone in the murine thigh muscle implantation model. Garraway R, et al. 1325
Effects of *Porphyromonas gingivalis* 2561 extracts on osteogenic and osteoclastic cell function in co-culture. Loomer PM, et al. 1263
Recombinant human osteogenic protein-1 (OP-1) stimulates periodontal wound healing in Class III furcation defects. Giannobile WV, et al. 129
OSTEOTOMY/adverse effects
Inflammatory cervical root resorption following segmental orthognathic surgery. A case report. Hokett SD, et al. 219
OUTCOME ASSESSMENT
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
OXYGEN PARTIAL PRESSURE
Assocation of oxygen tension in human periodontal pockets with gingival inflammation. Tanaka M, et al. 1127

P

PAIN THRESHOLD
Pain threshold values during periodontal probing: assessment of maxillary incisor and molar sites. Heins PJ, et al. 812
PATIENT CARE PLANNING

Diagnostic utility of specific microbiological markers in periodontal disease. Eggert FM, et al. 1373
Periodontitis-associated marker bacteria in an urban North American patient population: application of a commercial immunoassay. Eggert FM, et al. 1382
PEMPHIGOID, BENIGN/diagnosis
Analysis of desquamative gingivitis using direct immunofluorescence in conjunction with histology. Yih W-Y, et al. 678
PERIAPICAL DISEASES/complications
The influence of endodontic infection on periodontal status in mandibular molars. Jansson LE, et al. 1392
PERIAPICAL DISEASES/etiology
The influence of endodontic infection on periodontal status in mandibular molars. Jansson LE, et al. 1392
PERI-IMPLANTITIS/etiology
Changes in peri-implant tissues subjected to orthodontic forces and ligature breakdown in monkeys. Hurzeler MB, et al. 396
PERI-IMPLANTITIS/microbiology
Microbiota associated with experimental peri-implantitis and periodontitis in adult *Macaca mulatta* monkeys. Eke PI, et al. 190
PERI-IMPLANTITIS, EXPERIMENTAL
Microbiota associated with experimental peri-implantitis and periodontitis in adult *Macaca mulatta* monkeys. Eke PI, et al. 190
PERIODONTAL ATTACHMENT
Adjunctive use of a subgingival controlled-release chlorhexidine chip reduces probing depth and improves attachment level compared with scaling and root planing alone. Jeffcoat MK, et al. 989
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
Histologic evaluation of new attachment utilizing a titanium-reinforced barrier membrane in a mucogingival recession defect. A case report. Parma-Benfenati S, et al. 834
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
PERIODONTAL ATTACHMENT LOSS
The effect of smoking on individuals with minimal periodontal destruction. Gunsolley JC, et al. 165
Evaluating the burst hypothesis at a site-specific level using the lack-of-fit test. Hujoel PP, et al. 357
Histopathological investigation of gingival tissue from patients with rapidly progressive periodontitis. Hillmann G, et al. 195
The influence of smoking and race on adult periodontitis and serum IgG2 levels. Quinn SM, et al. 171
The prevalence of *Actinobacillus actinomycetemcomitans, Porphyromonas gingivalis,* and *Bacteroides forsythus* in humans 1 year after 4 randomized treatment modalities. Shiloah J, et al. 1364
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
PERIODONTAL DISEASES
Impact of endodontic conditions on marginal bone loss. Miyashita H, et al. 158
Periodontal diseases as a potential risk factor for systemic diseases. Position paper. 502
PERIODONTAL DISEASES/complications
The influence of endodontic infection on periodontal status in mandibular molars. Jansson LE, et al. 1392
Interleukin-1 and tumor necrosis factor antagonists inhibit the progression of inflammatory cell infiltration toward alveolar bone experimental periodontitis. Graves DT, et al. 1419
PERIODONTAL DISEASES/diagnosis
Clinical evaluation of electronic and manual constant force probes. Khocht A, et al. 19
Evaluating the burst hypothesis at a site-specific level using the lack-of-fit test. Hujoel PP, et al. 357
Pain threshold values during periodontal probing: assessment of maxillary incisor and molar sites. Heins PJ, et al. 812
Three-dimensional alveolar bone morphology analysis using computed tomography. Naito T, et al. 584
PERIODONTAL DISEASES/drug therapy
The role of local drug delivery in the management of periodontal diseases: a comprehensive review. Greenstein G, et al. 507
Local metronidazole application in maintenance patients. Clinical and microbiological evaluation. Rudhart A, et al. 1148
PERIODONTAL DISEASES/epidemiology
Periodontal diseases in the United States population. Oliver RC, et al. 269
PERIODONTAL DISEASES/etiology
Cytokine profiles of lesional and splenic T cells in *Porphyromonas gingivalis* infection in a murine model. Gemmell E, et al. 1131
The effect of smoking on individuals with minimal periodontal destruction. Gunsolley JC, et al. 165
PERIODONTAL DISEASES/instrumentation
Clinical evaluation of electronic and manual constant force probes. Khocht A, et al. 19
PERIODONTAL DISEASES/microbiology
Current understanding of the role of microscopic monitoring, baking soda, and hydrogen peroxide in the treatment of periodontal disease. Position paper. 951
Gingival epithelial cells increase interleukin-8 secretion in response to *Actinobacillus actinomycetemcomitans* challenge. Huang GT-J. 1105
Periodontal findings in elderly patients with non-insulin dependent diabetes mellitus. Collin H-L, et al 962
Periodontal status and serum antibody responses to oral microoganisms in Sjogren's syndrome. Çelenligil H, et al. 571
Periodontal status and subgingival microbiota of insulin-dependent juvenile diabetics: a 3-year study. Sbordone L, et al. 120
Subgingival microflora associated with nifedipine-induced gingival overgrowth. Nakou M, et al. 664

PERIODONTAL DISEASES/pathogenesis
Areca nut extract inhibits growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. Chang M-C, et al. 1092
Clinical and microbiological evaluation of a bioabsorbable and a nonresorbable barrier membrane in the treatment of periodontal intraosseous lesions. MacDonald ES, et al. 445
Tumor necrosis factor alpha production by oral leukocytes: influence of tumor necrosis factor genotype. Galbraith GMP, et al. 428
PERIODONTAL DISEASES/surgery
Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
Clinical and microbiological evaluation of a bioabsorbable and a nonresorbable barrier membrane in the treatment of periodontal intraosseous lesions. MacDonald ES, et al. 445
Comparison of bioactive glass synthetic bone graft particles and open debridement in the treatment of human periodontal defects. A clinical study. Froum SJ, et al. 698
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
Effects of expanded polytetrafluoroethylene and polylactic acid barriers on healthy sites. Trejo PM, et al. 14
Elevated salivary EGF levels stimulated by periodontal surgery. Oxford GE, et al. 479
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
Periodontal surgery of vertical bony defects with or without synthetic bioabsorbable barriers. 12-month results. Eickholz P, et al. 1210
Treatment of intrabony defects by different surgical procedures. A literature review. Laurell L, et al. 303
The use of autogenous periosteal grafts as barriers for the treatment of intrabony defects in humans. Kwan SK, et al. 1203
PERIODONTAL DISEASES/therapy
Cervical root resorption associated with guided tissue regeneration: a case report. Blömlof L, et al. 392
Change in temperature of subjacent bone during soft tissue laser ablation. Spencer P, et al. 1278
Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
A combined approach for treatment of developmental groove associated periodontal defect. A case report. Andreana S. 601
Comparison of bioactive glass synthetic bone graft particles and open debridement in the treatment of human periodontal defects. A clinical study. Froum SJ, et al. 698
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
Concepts of quality and the provision of periodontal care: a survey. Marcus M, et al. 228
Current understanding of the role of microscopic monitoring, baking soda, and hydrogen peroxide in the treatment of periodontal disease. Position paper. 951
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis patients. A pilot study. Quirynen M, et al. 374
Evaluation of a bioactive glass alloplast in treating periodontal intrabony defects. Ong MMA, et al. 1346
Genotypic characterization of *Actinobacillus actinomycetemcomitans* isolated from periodontitis patients by arbitrarily primed polymerase chain reaction. He T, et al. 69
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
Guided tissue regeneration with bioabsorbable and expanded polytetrafluoroethylene barrier membranes in the treatment of naturally occurring periodontal defects in dogs. Elharar F, et al. 1218
Guidelines for periodontal therapy. 405
Hydroxyapatite cement implant for regeneration of periodontal osseous defects in humans. Brown GD, et al. 146
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. Yukna RA, et al. 655
Periodontal repair in dogs: effect of allogenic freeze-dried demineralized bone matrix implants on alveolar bone and cementum regeneration. Kim C-K, et al. 26
Periodontal repair in intrabony defects treated with a calcium sulfate implant and calcium sulfate barrier. Kim C-K, et al. 1317
Periodontal surgery of vertical bony defects with or

without synthetic bioabsorbable barriers. 12-month results. Eickholz P, et al. 1210
Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. Fujii T, et al. 1283
Supportive periodontal therapy (SPT). Position paper. 502
Treatment of intrabony defects by different surgical procedures. A literature review. Laurell L, et al. 303
Working parameters of a magnetostrictive ultrasonic scaler influencing root substance removal in vitro. Flemmig TF, et al. 547
PERIODONTAL INDEX
Periodontal conditions and salivary immunoglobulins in individuals with Down syndrome. Barr-Agholme M, et al. 1119
PERIODONTAL LIGAMENT
Induction of COX-2 expression by mechanical tension force in human periodontal ligament cells. Shimizu N, et al. 670
The use of autogenous periosteal grafts as barriers for the treatment of intrabony defects in humans. Kwan SK, et al. 1203
PERIODONTAL LIGAMENT/anatomy and histology
The response of periodontal ligament cells to fibronectin. Kapila YL, et al. 1008
PERIODONTAL POCKETS
Assocation of oxygen tension in human periodontal pockets with gingival inflammation. Tanaka M, et al. 1127
PERIODONTAL POCKETS/drug therapy
The pharmacokinetic profile of a biodegradable controlled-release delivery system containing doxycycline compared to systemically delivered doxycycline in gingival crevicular fluid, saliva, and serum. Stoller NH, et al. 1085
Retention, antomicrobial activity, and clinical outcomes following use of a bioerodible tetracycline gel in moderate-to-deep periodontal pockets. Needleman IG, et al. 578
PERIODONTAL POCKETS/etiology
The influence of direct composite additions for the correction of tooth form and/or position on periodontal health. A retrospective study. Peumans M, et al. 422
PERIODONTAL POCKETS/microbiology
The prevalence of *Actinobacillus actinomycetemcomitans, Porphyromonas gingivalis,* and *Bacteroides forsythus* in humans 1 year after 4 randomized treatment modalities. Shiloah J, et al. 1364
Retention, antomicrobial activity, and clinical outcomes following use of a bioerodible tetracycline gel in moderate-to-deep periodontal pockets. Needleman IG, et al. 578
Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111
The utility of whole saliva to detect the oral presence of periodontopathic bacteria. Umeda M, et al. 828
PERIODONTAL POCKETS/pathogenesis
The prevalence of *Actinobacillus actinomycetemcomitans, Porphyromonas gingivalis, and Bacteroides forsythus* in humans 1 year after 4 randomized treatment modalities. Shiloah J, et al. 1364
PERIODONTAL POCKETS/surgery
Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. Pilloni A, et al. 791
PERIODONTAL POCKETS/therapy
Evaluation of antimicrobial efficacy and release pattern of tetracycline and metronidazole using a local delivery system. Somayaji BV, et al. 409
Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. Pilloni A, et al. 791
PERIODONTAL PROBES
Clinical evaluation of electronic and manual constant force probes. Khocht A, et al. 19
The influence of direct composite additions for the correction of tooth form and/or position on periodontal health. A retrospective study. Peumans M, et al. 422
Pain threshold values during periodontal probing: assessment of maxillary incisor and molar sites. Heins PJ, et al. 812
Reproducibility and validity of the assessment of clinical furcation parameters as related to different probes. Eickholz P, et al. 328
Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. Pilloni A, et al. 791
PERIODONTAL REGENERATION
Cervical root resorption associated with guided tissue regeneration: a case report. Blomlof L, et al. 392
Clinical and microbiological evaluation of a bioabsorbable and a nonresorbable barrier membrane in the treatment of periodontal intraosseous lesions. MacDonald ES, et al. 445
Effect of a calcium sulfate implant with calcium sulfate barrier on periodontal healing in 3-wall intrabony defects in dogs. Kim C-K, et al. 982
The effect of root surface demineralization on bone morphogenetic protein-2-induced healing of rat periodontal fenestration defects. King GN, et al. 561
Evaluation of a bioactive glass alloplast in treating periodontal intrabony defects. Ong MMA, et al. 1346
Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study. Lekovic V, et al. 1050
Guided tissue regeneration in Class II furcation involved maxillary molars: a controlled study of 8 split-mouth cases. Avera JB, et al. 1020
Long-term maintenance of alveolar bone gain after implantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. Flemmig TF, et al. 47
Periodontal repair in intrabony defects treated with a calcium sulfate implant and calcium sulfate barrier. Kim C-K, et al. 1317
Products designed to regenerate periodontal tissues.

American Dental Association. Council on Scientific Affairs. Acceptance Program Guidelines. 1081
The response of periodontal ligament cells to fibronectin. Kapila YL, et al. 1008
The use of autogenous periosteal grafts as barriers for the treatment of intrabony defects in humans. Kwan SK, et al. 1203
PERIODONTITIS/anatomy and histology
Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin 1-beta in a rat model. Doxey DL, et al. 113
A comparison of 2 patient populations using fractal analysis. Shrout MK, et al. 9
PERIODONTITIS/diagnosis
The effect of different diagnostic thresholds on incidence of disease progression. Oringer RJ, et al. 872
Products and methods for the diagnosis and/or management of periodontitis. American Dental Association. Council on Scientific Affairs. Acceptance Program Guidelines. 1071
PERIODONTITIS/drug therapy
Chemotherapeutic agents to slow or arrest periodontitis. American Dental Association. Council on Scientific Affairs. Acceptance Program Guidelines. 1076
Clinical evaluation of systemic doxycycline and ibuprofen administration as an adjunctive treatment for adult periodontitis. Ng VW-K, et al. 772
Effects of metronidazole plus amoxicillin in progressive untreated adult periodontitis: results of a single 1-week course after 2 and 4 months. López NJ, et al. 1291
Effects of topical metronidazole and tetracycline in treatment of adult periodontitis. Lie T, et al. 819
PERIODONTITIS/epidemiology
Periodontal diseases in the United States population. Oliver RC, et al. 269
PERIODONTITIS/etiology
Histology near periodontitis osteoclasts. Uden CE, et al. 363
Impact of endodontic conditions on marginal bone loss. Miyashita H, et al. 158
The influence of smoking and race on adult periodontitis and serum IgG2 levels. Quinn SM, et al. 171
Non-insulin dependent diabetes mellitus and alveolar bone loss progression over 2 years. Taylor GW, et al. 76
PERIODONTITIS/microbiology
The expression of collagen I and XII mRNAs in *Porphyromonas gingivalis*-induced periodontitis in rats: the effect of doxycycline and chemically modified tetracycline. Karimbux NY, et al. 34
Genotypic characterization of *Actinobacillus actinomycetemcomitans* isolated from periodontitis patients by arbitrarily primed polymerase chain reaction. He T, et al. 69
Diagnostic utility of specific microbiological markers in periodontal disease. Eggert FM, et al. 1373
Microbiota associated with experimental peri-implantitis and periodontitis in adult *Macaca mulatta* monkeys. Eke PI, et al. 190
Periodontal findings in elderly patients with non-insulin dependent diabetes mellitus. Collin H-L, et al 962
Periodontitis-associated marker bacteria in an urban North American patient population: application of a commercial immunoassay. Eggert FM, et al. 1382
Subgingival distribution of periodontopathic bacteria in adult periodontitis and their susceptibility to minocycline-HCl. Hagiwara S, et al. 92
PERIODONTITIS/pathogenesis
Early-onset and adult periodontitis associated with abnormal cytokine production by activated T lymphocytes. Sigusch B, et al. 1098
Increased presence of interleukin-6 (IL-6) and IL-8 secreting fibroblast subpopulations in adult periodontitis. Dongari-Bagtzoglou AI, et al. 899
The prevalence of *Actinobacillus actinomycetemcomitans, Porphyromonas gingivalis,* and *Bacteroides forsythus* in humans 1 year after 4 randomized treatment modalities. Shiloah J, et al. 1364
Subgingival distribution of periodontopathic bacteria in adult periodontitis and their susceptibility to minocycline-HCl. Hagiwara S, et al. 92
PERIODONTITIS/physiopathology
Histopathological investigation of gingival tissue from patients with rapidly progressive periodontitis. Hillmann G, et al. 195
PERIODONTITIS/prevention and control
Chemotherapeutic agents to slow or arrest periodontitis. American Dental Association. Council on Scientific Affairs. Acceptance Program Guidelines. 1076
Comparison of different approaches of interdental oral hygiene: interdental brushes versus dental floss. Christou V, et al. 759
Dynamics of serum immunoglobulin G avidity for *Porphyromonas gingivalis* in adult periodontitis. Takahashi J, et al. 367
Products and methods for the diagnosis and/or management of periodontitis. American Dental Association. Council on Scientific Affairs. Acceptance Program Guidelines. 1071
PERIODONTITIS/surgery
Clinical evaluation of bioactive glass in the treatment of periodontal osseous defects in humans. Lovelace TB, et al. 1027
PERIODONTITIS/therapy
Adjunctive use of a subgingival controlled-release chlorhexidine chip reduces probing depth and improves attachment level compared with scaling and root planing alone. Jeffcoat MK, et al. 989
Analysis of gingival crevicular fluid intracytoplasmic enzyme activity in patients with adult periodontitis and rapidly progressive periodontitis. A longitudinal study model with periodontal treatment. Atici K, et al. 1155
Clinical evaluation of bioactive glass in the treatment of periodontal osseous defects in humans. Lovelace TB, et al. 1027

Comparison of different approaches of interdental oral hygiene: interdental brushes versus dental floss. Christou V, et al. 759
Effects of ketorolac tromethamine mouthrinse (0.1%) on crevicular fluid prostaglandin E_2 concentrations in untreated chronic periodontitis. Preshaw PM, et al. 777
Long-term maintenance of alveolar bone gain after implantation of autolyzed, antigen-extracted, allogenic bone in periodontal intraosseous defects. Flemmig TF, et al. 47
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
PERIODONTITIS, EARLY-ONSET
Cytoskeletal actin reorganization in neutrophils from patients with localized juvenile peridontitis. Champagne CM, et al. 209
PERIODONTITIS, EARLY-ONSET/microbiology
Microbiological findings in prepubertal periodontitis. A case report. Dibart S, et al 1172
PERIODONTITIS, EARLY ONSET/pathogenesis
Early-onset and adult periodontitis associated with abnormal cytokine production by activated T lymphocytes. Sigusch B, et al. 1098
PERIODONTITIS, EXPERIMENTAL
Immediate loading of titanium plasma-sprayed implants: an histologic analysis in monkeys. Piattelli A, et al. 321
Microbiota associated with experimental peri-implantitis and periodontitis in adult *Macaca mulatta* monkeys. Eke PI, et al. 190
PERIODONTITIS, JUVENILE
Cytoskeletal actin reorganization in neutrophils from patients with localized juvenile peridontitis. Champagne CM, et al. 209
Root surface characteristics of primary teeth from children with prepubertal periodontitis. Bimstein E, et al. 337
PERIODONTITIS, JUVENILE/drug therapy
Clinical and microbiologic effects of adjunctive antibiotics in treatment of localized juvenile periodontitis. A controlled clinical trial. Tinoco EMB, et al. 1355
PERIODONTITIS, JUVENILE/epidemiology
Relationship between conversion of localized juvenile periodontitis-susceptible children from health to disease and *Actinobacillus actinomycetemcomitans* leukotoxin promotor structure. Bueno LC, et al. 998
PERIODONTITIS, JUVENILE/etiology
Guest editorial. Etiology of localized juvenile periodontitis. Schenkein HA. 1068
PERIODONTITIS, JUVENILE/microbiology
Clinical and microbiologic effects of adjunctive antibiotics in treatment of localized juvenile periodontitis. A controlled clinical trial. Tinoco EMB, et al. 1355
Genotypic characterization of *Actinobacillus actinomycetemcomitans* isolated from periodontitis patients by arbitrarily primed polymerase chain reaction. He T, et al. 69
Microbiological findings in prepubertal periodontitis. A case report. Dibart S, et al 1172
PERIODONTITIS, JUVENILE/pathogenesis
The correlation of gingival crevicular fluid interleukin-8 levels and periodontal status in localized juvenile periodontitis. Özmeric N, et al. 1299
PERIODONTITIS, RAPIDLY PROGRESSIVE/etiology
Rapid progression of bone loss in HIV-associated necrotizing ulcerative stomatitis. Patton LL, et al. 710
PERIODONTITIS, RAPIDLY PROGRESSIVE/physiopathology
Histopathological investigation of gingival tissue from patients with rapidly progressive periodontitis. Hillmann G, et al. 195
PERIODONTITIS, RAPIDLY PROGRESSIVE/therapy
Analysis of gingival crevicular fluid intracytoplasmic enzyme activity in patients with adult periodontitis and rapidly progressive periodontitis. A longitudinal study model with periodontal treatment. Atici K, et al. 1155
PERIODONTIUM
Change in temperature of subjacent bone during soft tissue laser ablation. Spencer P, et al. 1278
PERIODONTIUM/radiography
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
PHENOTYPES
Fibroblast heterogeneity of signal transduction mechanisms to complement-C1q. Analyses of calcium mobilization, inositol phosphate accumulation, and protein kinases-C redistribution. Bordin S, et al. 642
PLANING
Clinical evaluation of systemic doxycycline and ibuprofen administration as an adjunctive treatment for adult periodontitis. Ng VW-K, et al. 772
The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis patients. A pilot study. Quirynen M, et al. 374
Effects of topical metronidazole and tetracycline in treatment of adult periodontitis. Lie T, et al. 819
Local metronidazole application in maintenance patients. Clinical and microbiological evaluation. Rudhart A, et al. 1148
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
PLANING/instrumentation
The effects of a single course of a calculus-softening scaling and root planing gel. A scanning electron microscopic study. Nagy RJ, et al. 806
PLASMA CELLS
Histology near periodontitis osteoclasts. Uden CE, et al. 363
POINT-OF-SERVICE PLANS
Legal considerations for periodontists in dealing with managed care organizations. Bierig JR. 254
POLYCARBONATE/therapeutic use
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54

POLYGLACTIN 910/therapeutic use
Periodontal surgery of vertical bony defects with or without synthetic bioabsorbable barriers. 12-month results. Eickholz P, et al. 1210
POLYLACTIC ACID/therapeutic use
Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
Comparison of 2 regenerative procedures - guided tissue regeneration and demineralized freeze-dried bone allograft - in the treatment of intrabony defects: a clinical and radiographic study. Parashis A, et al. 751
A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. Harris RJ. 1426
Effects of bioabsorbable and non-resorbable barrier membranes on bone augmentation in rabbit calvaria. Ito K, et al. 1229
Effects of expanded polytetrafluoroethylene and polylactic acid barriers on healthy sites. Trejo PM, et al. 14
POLYMERASE CHAIN REACTION
Genotypic characterization of *Actinobacillus actinomycetemcomitans* isolated from periodontitis patients by arbitrarily primed polymerase chain reaction. He T, et al. 69
Relationship between conversion of localized juvenile periodontitis-susceptible children from health to disease and *Actinobacillus actinomycetemcomitans* leukotoxin promotor structure. Bueno LC, et al. 998
The utility of whole saliva to detect the oral presence of periodontopathic bacteria. Umeda M, et al. 828
POLYMORPHISM, RESTRICTION FRACTION LENGTH
Relationship between conversion of localized juvenile periodontitis-susceptible children from health to disease and *Actinobacillus actinomycetemcomitans* leukotoxin promotor structure. Bueno LC, et al. 998
POLYTETRAFLUOROETHYLENE/microbiology
Inflammatory cell population and bacterial contamination of membranes used for guided tissue regenerative procedures. Yoshinari N, et al. 460
POLYTETRAFLUOROETHYLENE/therapeutic use
Clinical comparison of bioabsorbable barriers with non-resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
Clinical comparison of cellulose and expanded polytetrafluoroethylene membranes in the treatment of Class II furcations in mandibular molars with 6-month re-entry. Dos Anjos B, et al. 454
Effects of bioabsorbable and non-resorbable barrier membranes on bone augmentation in rabbit calvaria. Ito K, et al. 1229
Effects of expanded polytetrafluoroethylene and polylactic acid barriers on healthy sites. Trejo PM, et al. 14
The effects of guided bone regeneration and grafting on implants placed into immediate extraction sockets. An experimental study in dogs. Kohal RJ, et al. 927
Guided bone regeneration utilizing expanded polytetrafluoroethylene membranes in combination with submerged and nonsubmerged dental implants in beagle dogs. Fiorellini JP, et al. 528
Guided tissue regeneration in Class II furcation involved maxillary molars: a controlled study of 8 split-mouth cases. Avera JB, et al. 1020
Guided tissue regeneration with bioabsorbable and expanded polytetrafluoroethylene barrier membranes in the treatment of naturally occurring periodontal defects in dogs. Elharar F, et al. 1218
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54
Inflammatory cell population and bacterial contamination of membranes used for guided tissue regenerative procedures. Yoshinari N, et al. 460
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
PORPHYROMONAS GINGIVALIS
Cytokine profiles of lesional and splenic T cells in *Porphyromonas gingivalis* infection in a murine model. Gemmell E, et al. 1131
Dynamics of serum immunoglobulin G avidity for *Porphyromonas gingivalis* in adult periodontitis. Takahashi J, et al. 367
Effects of *Porphyromonas gingivalis* 2561 extracts on osteogenic and osteoclastic cell function in co-culture. Loomer PM, et al. 1263
The expression of collagen I and XII mRNAs in *Porphyromonas gingivalis*-induced periodontitis in rats: the effect of doxycycline and chemically modified tetracycline. Karimbux NY, et al. 34
Immunization with *Porphyromonas gingivalis* cysteine protease: effects on experimental gingivitis and ligature-induced periodontitis in *Macaca fascicularis*. Moritz AJ, et al. 686
The prevalence of *Actinobacillus actinomycetemcomitans, Porphyromonas gingivalis,* and *Bacteroides forsythus* in humans 1 year after 4 randomized treatment modalities. Shiloah J, et al. 1364
Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111
POSTOPERATIVE COMPLICATIONS
Inflammatory cervical root resorption following segmental orthognathic surgery. A case report. Hokett SD, et al. 219
PRACTICE GUIDELINES
Concepts of quality and the provision of periodontal care: a survey. Marcus M, et al. 228
PREFERRED PROVIDER ORGANIZATIONS
Legal considerations for periodontists in dealing with managed care organizations. Bierig JR. 254
PREVOTELLLA INTERMEDIA

Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111
PREVOTELLA NIGRESCENS
Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111
PROSTAGLANDINS
Effects of ketorolac tromethamine mouthrinse (0.1%) on crevicular fluid prostaglandin E_2 concentrations in untreated chronic periodontitis. Preshaw PM, et al. 777
Induction of COX-2 expression by mechanical tension force in human periodontal ligament cells. Shimizu N, et al. 670
PROTEIN, ACTIN
Cytoskeletal actin reorganization in neutrophils from patients with localized juvenile peridontitis. Champagne CM, et al. 209
PROTEIN, BONE MORPHOGENETIC
Addition of human recombinant bone morphogenetic protein-2 to inactive commercial human demineralized freeze-dried bone allograft makes an effective composite bone inductive implant material. Schwartz Z, et al. 1337
The effect of root surface demineralization on bone morphogenetic protein-2-induced healing of rat periodontal fenestration defects. King GN, et al. 561
PROTEIN, MORPHOGENIC
Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation is dependent on donor age but not gender. Schwartz Z, et al. 470
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
PROTEIN, NON-COLLAGENOUS
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
PROTEIN, RECOMBINANT
Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. Margolin MD, et al. 911

Q

QUALITY ASSURANCE, HEALTH CARE
Concepts of quality and the provision of periodontal care: a survey. Marcus M, et al. 228
Periodontal diseases in the United States population. Oliver RC, et al. 269
QUID CHEWING
Areca nut extract inhibits growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. Chang M-C, et al. 1092

R

RACIAL FACTORS
The influence of smoking and race on adult periodontitis and serum IgG2 levels. Quinn SM, et al. 171
RADIOGRAPHY, DENTAL/instrumentation
Computer-assisted densitometric image analysis of digital subtraction images: in vivo error of the method and effect of thresholding. Brägger U, et al. 967
RADIOGRAPHY, DENTAL/methods
Computer-assisted densitometric image analysis of digital subtraction images: in vivo error of the method and effect of thresholding. Brägger U, et al. 967
RANDOMIZED CONTROLLED TRIALS
Concepts of quality and the provision of periodontal care: a survey. Marcus M, et al. 228
REPRODUCIBILITY OF RESULTS
Periodontitis-associated marker bacteria in an urban North American patient population: application of a commercial immunoassay. Eggert FM, et al. 1382
Reproducibility and validity of the assessment of clinical furcation parameters as related to different probes. Eickholz P, et al. 328
RISK ASSESSMENT
Economic models to help periodontists evaluate their practices: how to analyze a practice to assess the potential impact of managed care contracts. Nash KD, et al. 241
RISK FACTORS
The influence of endodontic infection on periodontal status in mandibular molars. Jansson LE, et al. 1392
Periodontal diseases as a potential risk factor for systemic diseases. Position paper. 502
Periodontal diseases in the United States population. Oliver RC, et al. 269
Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111
Tumor necrosis factor alpha production by oral leukocytes: influence of tumor necrosis factor genotype. Galbraith GMP, et al. 428
ROOT CANAL THERAPY
Impact of endodontic conditions on marginal bone loss. Miyashita H, et al. 158
A new approach in restorative treatment of external root resorption. A case report. Dumfahrt H, et al. 941
ROOT RESORPTION
Cervical root resorption associated with guided tissue regeneration: a case report. Blömlof L, et al. 392
Inflammatory cervical root resorption following segmental orthognathic surgery. A case report. Hokett SD, et al. 219
ROOT RESORPTION/therapy
A new approach in restorative treatment of external root resorption. A case report. Dumfahrt H, et al. 941

S

SALIVA/immunology
Periodontal conditions and salivary immunoglobulins

in individuals with Down syndrome. Barr-Agholme M, et al. 1119
SALIVA/microbiology
Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111
The utility of whole saliva to detect the oral presence of periodontopathic bacteria. Umeda M, et al. 828
SALIVA/physiology
The relationship of dental calculus to caries, gingivitis, and selected salivary factors in 11- to 13-year-old children in Chiang Mai, Thailand. Pattanaporn K, et al. 955
SALIVARY GLAND TUMORS
Gingival salivary gland choristoma. A case report. Ledesma-Montes C, et al. 1164
SCALING
Clinical evaluation of systemic doxycycline and ibuprofen administration as an adjunctive treatment for adult periodontitis. Ng VW-K, et al. 772
The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis patients. A pilot study. Quirynen M, et al. 374
Effects of topical metronidazole and tetracycline in treatment of adult periodontitis. Lie T, et al. 819
In vitro studies on the effect of cleaning methods on different implant surfaces. Augthun M, et al. 857
Local metronidazole application in maintenance patients. Clinical and microbiological evaluation. Rudhart A, et al. 1148
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
SCALING/adverse effects
Heat generation during ultrasonic instrumentation of dentin as affected by different irrigation methods. Nicoll BK, et al. 884
SCALING/instrumentation
The effects of a single course of a calculus-softening scaling and root planing gel. A scanning electron microscopic study. Nagy RJ, et al. 806
Working parameters of a magnetostrictive ultrasonic scaler influencing root substance removal in vitro. Flemmig TF, et al. 547
SEROTYPE
Genotypic characterization of *Actinobacillus actinomycetemcomitans* isolated from periodontitis patients by arbitrarily primed polymerase chain reaction. He T, et al. 69
SILICONE ELASTOMERS/therapeutic use
Histologic evaluation of guided tissue regeneration using 4 barrier membranes: a comparative furcation study in dogs. Lekovic V, et al. 54
SJOGREN'S SYNDROME
Periodontal status and serum antibody responses to oral microoganisms in Sjogren's syndrome. Çelenligil H, et al. 571
SKULL
Effects of bioabsorbable and non-resorbable barrier membranes on bone augmentation in rabbit calvaria. Ito K, et al. 1229
SMOKING/adverse effects
Alveolar bone levels in AIDS and HIV seropositive patients and in control subjects. Persson RE, et al. 1056
The effect of smoking on individuals with minimal periodontal destruction. Gunsolley JC, et al. 165
The influence of smoking and race on adult periodontitis and serum IgG2 levels. Quinn SM, et al. 171
Radiographic and clinical responses to periodontal therapy. Machtei EE, et al. 590
SOCIOECONOMIC FACTORS
Urinary catecholamine levels and gingivitis in children. Vanderas AP, et al. 554
SODIUM BICARBONATE
Current understanding of the role of microscopic monitoring, baking soda, and hydrogen peroxide in the treatment of periodontal disease. Position paper. 951
SPECIALISTS/manpower
Changing number and distribution of periodontists: a continuing imbalance - 1987-1995. Waldman HB. 439
STATISTICS
Equivalence in periodontal trials: a description for the clinician. Duke SP, et al. 650
STOMATITIS/etiology
Irritant contact stomatitis: a review of the condition. Davis CC, et al. 620
STRESS, MECHANICAL
Induction of COX-2 expression by mechanical tension force in human periodontal ligament cells. Shimizu N, et al. 670
STRESS, PSYCHOLOGICAL
Urinary catecholamine levels and gingivitis in children. Vanderas AP, et al. 554
SUBSTANCE ABUSE
Carious lesions in the heroin addicted patient. A case report. Shen E-C, et al. 938
SURGICAL FLAPS
Clinical comparison of bioabsorbable barriers with non- resorbable barriers in guided tissue regeneration in the treatment of human intrabony defects. Teparat T, et al. 632
Comparison of bioactive glass synthetic bone graft particles and open debridement in the treatment of human periodontal defects. A clinical study. Froum SJ, et al. 698
Evaluation of a bioactive glass alloplast in treating periodontal intrabony defects. Ong MMA, et al. 1346
Evaluation of periosteal membranes and coronally positioned flaps in the treatment of Class II furcation defects: a comparative clinical study. Lekovic V, et al. 1050
Generalizability of the added benefits of guided tissue regeneration in the treatment of intrabony defects. Evaluation in a multi-center randomized controlled clinical trial. Tonetti MS, et al. 1183
Immediate implant placement: a procedure without incisions. Schwartz-Arad D, et al. 743
Inflammatory cell population and bacterial contamina-

tion of membranes used for guided tissue regenerative procedures. Yoshinari N, et al. 460
Mucogingival versus guided tissue regeneration procedures in the treatment of deep recession type defects. Zucchelli G, et al. 138
Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. Yukna RA, et al. 655
Repair of a root resorption lesion: a case report. White C, Jr. 596
Surgical treatment of cyclosporine A- and nifedipine-induced gingival enlargement: gingivectomy versus periodontal flap. Pilloni A, et al. 791
Treatment of gingival recession with titanium reinforced barrier membranes versus connective tissue grafts. Jepsen K, et al. 383
Treatment of intrabony defects by different surgical procedures. A literature review. Laurell L, et al. 303
The use of autogenous periosteal grafts as barriers for the treatment of intrabony defects in humans. Kwan SK, et al. 1203

SYSTEMIC DISEASES
Periodontal diseases as a potential risk factor for systemic diseases. Position paper. 502

T

TACROLIMUS/therapeutic use
Reduction of cyclosporine-induced gingival overgrowth following a change to tacrolimus. A case history involving a liver transplant patient. Bader G, et al. 729; clarification: 1181

TATTOO/therapeutic use
Managment of gingival vitiligo with the use of a tattoo technique. Center JM, et al. 724

TETRACYCLINE/therapeutic use
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
Effects of topical metronidazole and tetracycline in treatment of adult periodontitis. Lie T, et al. 819
Evaluation of antimicrobial efficacy and release pattern of tetracycline and metronidazole using a local delivery system. Somayaji BV, et al. 409
Retention, antomicrobial activity, and clinical outcomes following use of a bioerodible tetracycline gel in moderate-to-deep periodontal pockets. Needleman IG, et al. 578

TETRACYCLINE, CHEMICALLY MODIFIED
The expression of collagen I and XII mRNAs in *Porphyromonas gingivalis*-induced periodontitis in rats: the effect of doxycycline and chemically modified tetracycline. Karimbux NY, et al. 34

THERAPEUTIC EQUIVALENCY
Equivalence and superiority testing in regeneration clinical trials. Gunsolley JC, et al. 521
Equivalence in periodontal trials: a description for the clinician. Duke SP, et al. 650
Guest editorial. Equivalence, superiority, and negative clinical trials. Gunsolley J. 608

THERAPEUTIC SIMILARITY
Equivalence and superiority testing in regeneration clinical trials. Gunsolley JC, et al. 521
Equivalence in periodontal trials: a description for the clinician. Duke SP, et al. 650
Guest editorial. Equivalence, superiority, and negative clinical trials. Gunsolley J. 608

TISSUE ENGINEERING
Isolation of human osteoblast-like cells and in vitro amplification for tissue engineering. Malekzadeh R, et al. 1256

TITANIUM
Histologic evaluation of new attachment utilizing a titanium-reinforced barrier membrane in a mucogingival recession defect. A case report. Parma-Benfenati S, et al. 834
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
A histological study on tissue responses to titanium implantation in rat maxilla: the process of epithelial regeneration and bone reaction. Fujii N, et al. 485
Hollow implants retrieved for fracture: a light and scanning electron microscope analysis of 4 cases. Piattelli A, et al. 185
Immediate loading of titanium plasma-sprayed implants: an histologic analysis in monkeys. Piattelli A, et al. 321
An immunocytochemical study for lysosmal cathepsins B and D related to the intracellular degradation of titanium at the bone-titanium interface. Ayukawa Y, et al. 62
Neutrophil response and microbiological findings around teeth and dental implants. Hultin M, et al. 1413
Uncontrolled diabetes mellitus hinders bone formation around titanium implants in rat tibiae. A light and fluorescence microscopy, and image processing study. Takeshita F, et al. 314

TOMOGRAPHY, X-RAY COMPUTED
Three-dimensional alveolar bone morphology analysis using computed tomography. Naito T, et al. 584

TONGUE BRUSHING
The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis patients. A pilot study. Quirynen M, et al. 374

TOOTH ABNORMALITIES/adverse effects
A combined approach for treatment of developmental groove associated periodontal defect. A case report. Andreana S. 601

TOOTH, DECIDUOUS/anatomy and histology
Root surface characteristics of primary teeth from chil-

dren with prepubertal periodontitis. Bimstein E, et al. 337
TOOTH, DEMINERALIZATION
The effect of root surface demineralization on bone morphogenetic protein-2-induced healing of rat periodontal fenestration defects. King GN, et al. 561
TOOTH EXTRACTION
The application of deproteinized bovine bone mineral for ridge preservation prior to implantation. Clinical and histological observations in a case report. Artzi Z, et al. 1062
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
Immediate implant placement: a procedure without incisions. Schwartz-Arad D, et al. 743
Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. Lekovic V, et al. 1044
TOOTH EXTRACTION/therapy
A prospective clinical trial of endosseous screw-shaped implants placed at the time of tooth extraction without augmentation. Becker BE, et al. 920
TOOTH LOSS
Interleukin-1 and tumor necrosis factor antagonists inhibit the progression of inflammatory cell infiltration toward alveolar bone experimental periodontitis. Graves DT, et al. 1419
TOOTH LOSS/pathogenesis
Microbiological findings in prepubertal periodontitis. A case report. Dibart S, et al 1172
TOOTH ROOT
A clinical evaluation of allograft combined with a bioabsorbable membrane versus an alloplast/allograft composite graft combined with a bioabsorbable membrane. 100 consecutively treated cases. Harris RJ. 536; erratum: 1181
A combined approach for treatment of developmental groove associated periodontal defect. A case report. Andreana S. 601
The effect of root surface demineralization on bone morphogenetic protein-2-induced healing of rat periodontal fenestration defects. King GN, et al. 561
Repair of a root resorption lesion: a case report. White C, Jr. 596
A 2-year clinical evaluation of a diphenylphosphorylazide-cross-linked collagen membrane for the treatment of buccal gingival recession. Zahedi S, et al. 975
Working parameters of a magnetostrictive ultrasonic scaler influencing root substance removal in vitro. Flemmig TF, et al. 547
TOOTH ROOT/anatomy and histology
Root surface characteristics of primary teeth from children with prepubertal periodontitis. Bimstein E, et al. 337
TOOTH ROOT/surgery
A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. Results of a series of consecutive cases. Harris RJ. 1426
Histologic evaluation of new attachment utilizing a titanium-reinforced barrier membrane in a mucogingival recession defect. A case report. Parma-Benfenati S, et al. 834
A new approach in restorative treatment of external root resorption. A case report. Dumfahrt H, et al. 941
Pulp remains viable following vital amputation of the mesio-buccal root of the maxillary fourth premolar in dogs. Smith MM, et al. 798
TOOTH ROOT/ultrastructure
Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. Fujii T, et al. 1283
TRAUMA, MECHANICAL
Changes in peri-implant tissues subjected to orthodontic forces and ligature breakdown in monkeys. Hürzeler MB, et al. 396
TREPONEMA DENTICOLA
Risk factors for harboring periodontal pathogens. Umeda M, et al. 1111
TUMOR NECROSIS FACTOR
Crevicular fluid interleukin-1β, tumor necrosis factor-α, and interleukin-6 levels in renal transplant patients receiving cyclosporine A. Attila G, et al. 784
Interleukin-1 and tumor necrosis factor antagonists inhibit the progression of inflammatory cell infiltration toward alveolar bone experimental periodontitis. Graves DT, et al. 1419
Tumor necrosis factor alpha production by oral leukocytes: influence of tumor necrosis factor genotype. Galbraith GMP, et al. 428

U

ULTRASONICS
Working parameters of a magnetostrictive ultrasonic scaler influencing root substance removal in vitro. Flemmig TF, et al. 547
ULTRASONICS/adverse effects
Heat generation during ultrasonic instrumentation of dentin as affected by different irrigation methods. Nicoll BK, et al. 884
ULTRASONICS/instrumentation
Blood contamination of the aerosols produced by in vivo use of ultrasonic scalers. Barnes JB, et al. 434
ULTRASONICS/methods
Blood contamination of the aerosols produced by in vivo use of ultrasonic scalers. Barnes JB, et al. 434
URINALYSIS
Urinary catecholamine levels and gingivitis in children. Vanderas AP, et al. 554

V

VITILIGO/therapy
Managment of gingival vitiligo with the use of a tattoo technique. Center JM, et al. 724

W

WOUND HEALING
Clinical and microbiological evaluation of a bioabsorbable and a nonresorbable barrier membrane in the treatment of periodontal intraosseous lesions. MacDonald ES, et al. 445
Diabetes prevents periodontitis-induced increases in gingival platelet derived growth factor-B and interleukin 1-beta in a rat model. Doxey DL, et al. 113
The effect of root surface demineralization on bone morphogenetic protein-2-induced healing of rat periodontal fenestration defects. King GN, et al. 561
Elevated salivary EGF levels stimulated by periodontal surgery. Oxford GE, et al. 479
Histologic findings after implantation and evaluation of different grafting materials and titanium microscrews into extraction sockets: case reports. Becker W, et al. 414
Maxillary sinus augmentation in the non-human primate: a comparative radiographic and histologic study between recombinant human osteogenic protein-1 and natural bone material. Margolin MD, et al. 911
Nature and attachment of cementum formed under guided tissue conditions in human teeth. An electron microscopic study. Luder HU, et al. 889
Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. Lekovic V, et al. 1044
Recombinant human osteogenic protein-1 (OP-1) stimulates periodontal wound healing in Class III furcation defects. Giannobile WV, et al. 129
The response of periodontal ligament cells to fibronectin. Kapila YL, et al. 1008